

200





2019 DEMA BICYCLES

All rights reserved. No publication permitted.

Specification are subject to change without notice.

DEMA Senica a.s.

Dlhá 248, 905 01 Senica

Slovak Republic


tel.: 00421 34 6945 111

fax: 00421 34 6945 102

e-mail: sport@DEMA.bike

[www.dema.bike](http://www.dema.bike)





E-BIKE	7
ROAD	20
GRAVEL	26
MTB	30
MTB Lady	54
CROSS	70
TOUR	82
CITY	92
CITY - Folding	106
JUNIOR	110



Dema's Senior Technical Product Manager Kristina Koscova participated in the UCI Mountain Bike World Championship, category Masters 45-49 year. The World championship was held in Mont Sainte Anne, Canada at August 2019. Thanks to her strong legs and quick service in the depot, she took second place. In the last lap she got a puncture on the front wheel. Fortunately, the mechanic Filip Balciar quickly changed the wheel and thus she luckily managed to finish the race ahead of the third Canadian racer.





Dema's Product Manager Filip Balciar, who went to Canada as a mechanic of Kristina Koscova unintentionally joined the race elite at the Grand Canadian Marathon in Mont Sainte Anne. The day after Kristina's start, he also stood on the starting line of the marathon and in the strong category from 19 to 29 years he finished third and placed the sixth overall among 240 competitors. The representative of National Team of Canada and the U23 cycling champion of France came to the finish line before the Filip Balciar only. Filip took part at race on Dema Rebell carbon bike.



# TECHNOLOGY



## Carbon Frames

At present, you can find carbon frames used not only in the top-level models but also in the more affordable bicycles. All frames are made using the Tube2Tube technology, from high quality, traDEMArk carbon materials from the Japanese Toray Company. The main frame triangle is made of high strength material to ensure optimum balance between firmness and flexibility. Chain and saddle stays are made of more flexible carbon fibers, specifically for the better absorption of vibrations transferred to the frame from the rear wheel. Thanks to this, DEMA carbon frames are not only firm and hard but also comfortable. One of the many advantages of carbon frames is the fact that they offer lower weight and significantly higher strength than frames made from aluminum alloys (3000 to 7000 Mpa).



## Alloy AL-6061

An aluminum alloy containing Mg<sub>2</sub>S silicides as its main additive is also referred to as Alloy 6061. Class 6000 alloys are highly workable, weldable, and machinable, which is why they are often used in the manufacture of bicycle frames. Thanks to their tensile strength and resulting workability, tubes made from this alloy are often used in hydroforming processing. The 6061 aluminum alloy reaches a tensile strength of 325 MPa and density of 2.70 g/cm<sup>3</sup>.



## Cr-Mo Steel

Cr-Mo is steel alloyed with chrome and molybdenum. Alloying elements in steel provide increased strength at a lower weight. Chrome also adds anticorrosive properties to the mix. Frames made from this material are strong, durable, and relatively light.



## Hi-Ten Steel

Hi-Ten acronym stands for High Tensile Steel. Hi-Ten frames are just as strong and durable as Cr-Mo frames but noticeably heavier.



## DEMA Custom Tube

We do not use any standardized sets of tubes for DEMA frames; rather, we adjust tubes (shape and thickness of walls) to the specific frame based on strength analyses and the projected design of the entire bicycle.



## Double butted Tubes

The main advantage of tubes with narrowed walls (butted tubes) as compared to traditional tubes, is their lower weight while, at the same time, still sporting very similar, almost identical qualities as traditional tubes. Narrowed tubes usually have thicker walls at their ends, at welds, and thinner walls in the central, less strained portion. This type of tube comes with two different wall thickness sizes (Double Butted, e.g. wall thickness of 1.0 - 0.8 - 1.0 mm).



## Heat Treatment

Frames from the 6061 group of aluminum alloys often bear the supplementary designation T6. In the area of the weld, the frame is weakened down to level T0. The lost strength and mechanical properties are restored thanks to heat treatment, by heating the weld to 130°C for several hours. After completion of this production process, the strength of the frame in the welded area is once again T6.



## Hydroforming Tubes

Aluminum alloy tubes shaped by hydroforming technology are formed by the pressure of heated oil. A basic tube is inserted into a mold through which oil is pumped. The pressure of heated oil forms the tube to the shape of the mold. This tube shaping technology is a production process involving more than 10 operations. Hydroforming tubes are usually used on the frame, in place of upper or lower frame tubes. With some frames, a hydroforming shaped tube is used in place of the saddle tube (especially in the case of road bicycles).



## Biaxial Tube Profil

Use of lower frame tubes with biaxial profile – with vertical dilation in the area where the tube connects to the head tube and horizontal dilation in the area where the tube connects to the central connecting piece – ensures significant increase in firmness in those parts of the main frame triangle that experience the greatest strain.



## Tube to tube

In frames using this technology, each and every tube is made individually, shortened to the length required for the size of the frame, and connected by carbon fiber, thus providing the advantage of a direct, uninterrupted connection. Another advantage of the Tube2Tube technology is weight optimization – observing technological methods, each tube can be made with a different layer count, thus allowing the manufacturer to reach the desired frame weight.



## Smooth Inner Surface

This technology provides perfectly smooth inner tube surfaces void of redundant connecting materials, thus optimizing required tube properties and decreasing the weight of individual tubes as well as that of the entire frame.



## Tapered Head Tube

Tapered head tubes are designed to work with tapered handle bars, with the steerer designed to be used with a 1.5" headset at the bottom and 1 1/8" at the top. The primary advantages of a tapered headtube are to allow for the greater bearing surface and firmness of a 1.5" steerer and lower bearing surface while reducing weight and allowing the use of conventional 1 1/8" threadless stems. More girth at the bottom of the head tube better distributes shock force, prolonging the bearing life of the headset. Also it allows a stronger steering position and improved balance, giving the rider more control in rough terrain.



## Inner Cable Routing

Bicycles with inner cable routing are more elegant because cabling does not interfere with the silhouette of the frame. But esthetic reasons were not the only ones to lead designers to this technological solution. Cabling is protected from dirt this way and thus provides more reliable functionality, especially in muddy conditions.



## Carbon Fiber Dropouts

All DEMA carbon frames use carbon frame endings, which not only ensure a better connection between chain stays and saddle stays but also weigh less in comparison to duralumin endings used mainly in cheap carbon frames.



## High Performance Chainstays

Increased efficiency in the transfer of energy to the rear wheel is referred to as HP-C. This technology has been incorporated into the elaborate rear construction of all DEMA carbon frames.



## Comfortable Seat Stays

This description stands for functionally shaped rear seat stays made of aluminum alloy which – thanks to their "S" shape – more efficiently absorb and distribute vibrations transferred to the frame and caused by minor unevenness in the terrain and thus improve the comfort of the bicycle.



## Excentric Chain Stays

The technology of eccentrically shaped chain stays is used in full-suspension DEMA frames in which the right chain stay is placed lower than the left one. This technological solution has been implemented to increase the chain space and minimize contact between the chain and the chain stay during the movement of the rear construction while riding in terrain.



## Simple Single Pivot Design

Simple single pivot design attaches the swingarm to the shock via additional linkage actuating the shock to create a more progressive leverage ratio between wheel travel and shock absorber travel. The rear axle is held by a swingarm which is connected to the frame via a single pivot located near the bottom bracket. When the suspension moves through its travel, the path the rear axle describes is a circle around the pivot point. The advantage of this design is its simplicity, easy maintenance and good bump compliance.



## BB-92

The open standard of the non-threaded bottom bracket of the BB-92 MTB frames brings 4 basic advantages – improved strength of this part of the frame, higher durability, decreased weight and easier installation by pressing the bearing cups into the frame instead of threading them.



## BB-86

The open standard of the non-threaded bottom bracket of the BB-86 road and cx frames brings 4 basic advantages – improved strength of this part of the frame, higher durability, decreased weight and easier installation by pressing the bearing cups into the frame instead of threading them.



## Standard Threaded Bottom Bracket

This threaded bottom bracket technology is used in both carbon and duralumin frames. All DEMA frames using this technology feature a 68 mm wide bottom bracket housing with a BSA thread (1.370 x 24 tpi), also referred to as an "English" thread.



## 3D Forged Dropouts

This technology offers the possibility to use heat processed 3D frame endings with interesting shapes. Their advantage, compared to milled endings, is the increased strength of the material.



## 142x12mm Thru Axle

The 142x12 thru axle is a self-centering system that could be installed easier than a quick release without any tools. The larger diameter thru axle means stiffer, stronger rear end of bike and less deflection of rear hub. It provides a safer method to secure the wheel to the bike guaranteeing against wheel ejection.

# E-BIKE



# BAFANG Power Units

## Power Unit BAFANG MM G330.250

The mid-drive motor constantly samples relevant information at a frequency of up to 80k Hz via a torque sensor and two speed sensors which are all highly sensitive. The resulting data on crank torque, vehicle speed and the speed of rotation of the pedals is made available to the controller, ensuring precise control of the vehicle while achieving the highest possible efficiency. The Max Drive System puts the rider in complete control. In spite of a generous power output and a maximum torque of more than 80 N.m, the motor operates in virtual silence. The modular motor design and integrated controller make disassembly easier and improve service responsiveness. This motor can be black or silver.



## Power Unit BAFANG MM G360.250

This mid-drive motor is a speed type with a high cost-performance, good industrial design, good configuration. It's compact; it's silent; it's powerful.



## Power Unit BAFANG RM G010.250.D

This rear-drive motor, which has a rated power of 250W, a reduction ratio of 1: 4.42 and a maximum torque of 32 N.m, provides ideal power for vehicles. Strong and efficient, this motor greatly enhances riding comfort and is suitable for touring bikes, commuter bikes and mountain bikes. It can be black, silver.

## Power Unit BAFANG RM G020.250.D

This rear-drive motor, which has a rated power of 250W, a reduction ratio of 1: 5 and a maximum torque of 45 N.m, provides ideal power for vehicles. Strong and efficient, this motor greatly enhances riding comfort and is suitable for touring bikes, commuter bikes and mountain bikes. It can be black, grey or silver.



## Display BAFANG DP C10.UART

The BAFANG HMI with a high-contrast LCD display delivers all important information at a glance and can also be read in direct sunlight without difficulty. The BAFANG handlebar controller gives good feedback, is extremely robust and easy to use. The additional output can be individually controlled by five support levels. The user interface is clearly legible and intuitive to use. The HMI is compatible with the Bus system RS 232. The HMI is protected against contact and ingress of water and dirt and complies with protection class IP 65. It is available in black and silver.



## Display BAFANG DP E08.UART

The BAFANG HMI with a high-contrast LED display delivers all important information at a glance and can also be read in direct sunlight without difficulty. The operating of the overall system is integrated into the HMI and does not require an additional handlebar controller. The additional output can be individually controlled by five support levels. The user interface is clearly legible and intuitive to use. The HMI is compatible with the Bus system Analog. The HMI is protected against contact and ingress of water and dirt and complies with protection class IP 65.



Al 6061

DCT  
DEMA CUSTOM TUBES

HT  
HEAT TREATMENT

BTP  
BIAXIAL TUBE PROFIL

THT  
TAPERED HEAD TUBE


HPC  
HIGH PERFORMANCE CHAINSTAY

3D  
3D FORGE

HI-T



## GEOMETRY



model	size	A	B	C	D	E	F	G	H	I
E-TRAIL MAX 29	M	440	619	125	475	60	68,5°	73°	1175	424
	L	480	635	130	475	60	69,5°	73°	1176	436
E-TRAIL MAX 27,5+	M	440	615	120	445	60	69,5°	73°	1126	420
	L	480	635	130	445	60	69,5°	73°	1147	440
E-LLIOT	18	460	580	160	450	60	71°	73°	1072	385
E-LLEN	20	510	590	160	450	60	71°	73°	1083	396
E-ROYAI	18	460	565	160	450	60	71°	73°	1056	370
E-CARMEN	UNI	450	600	160	490	64	70°	72°	1137	388
E-SILENCE	UNI	440	595	165	440	55	68°	70°	1130	412
E-LLISE	UNI	500	605	180	470	67	69°	71°	1070	420



# 29" E-BIKE **E-TRAIL** MAX600



## SPECIFICATION

- ↗ E-TRAIL MAX 29" Alloy 6061-T6
  - ↗ SR SUNTOUR XCR34 29" Boost, Remote Lock, 100mm, 15x110mm
  - ↗ BAFANG MAX DRIVE CANBUS
  - LG Li-Ion F1L 36V/16Ah, Frame Integrated, Intelligent Battery Management System
  - ↗ BAFANG C18.CAN-29", 5 modes
  - ↗ SHIMANO Deore RD-M6000 GS 10speed
  - ↗ SHIMANO SL-M6000, 10 Speed Rapidfire PLUS
  - ↗ SHIMANO BR-MT200 Hydraulic, 180mm rotor
  - ↗ BAFANG EC39, 170mm (36t)
  - ↗ SHIMANO CS-HG500 10-Speed, 11-42z
  - ↗ SHIMANO CNE6090 10speed E-BIKE
  - ↗ FSA Orbit 1.5ZS NO 57SC tapered

- EXTEND D601 Black Oversize 31,8mm x 60mm
  - EXTEND Alu, Backsweep 9°, Upsweep 4°, 760mm
  - HERRMANS CUADRO LOCK 130mm
  - EXTEND Elite Alu 31,6x400mm
  - EXTEND MEMO 268 x 155mm
  - SHIMANO MT400 / TX505 Centerlock
  - ORIN 622x25, 32 dier, Tubeless Ready, Black
  - WTB Trail Boss Comp 29 x 2.25"
  - EXTEND Alu Black
  - 1x10
  - 18/20
  - 22,6 kg

size	18"	20"
code	B20281	B20282

## E-TRAIL MAX600

**SPECIFICATION**

- ↗ E-TRAIL MAX 27,5+" Alloy 6061-T6
- ↗ SUNTOUR XCM34 Boost RL DS 27,5+ 120mm Disc, tapered
- ↗ BAFANG MAX Drive MM G330.250 36V 250W
- ↗ LG Li-Ion F1L 36V/16Ah, Frame Integrated, Intelligent Battery Management System
- ↗ BAFANG DP C10.UART .29', 36V, LCD segment display, 5 assist modes + walk mode
- ↗ SHIMANO Deore RD-M592 SGS 9-Speed
- ↗ SHIMANO SL-M2000, 9-Speed Rapidfire Plus
- ↗ SHIMANO MT200 Hydraulic
- ↗ BAFANG MAX Samox EC39 - 170mm
- ↗ SHIMANO CS-HG200-9, 9 Speed (11-36)
- ↗ KMC X9eS, 9 Speed E-BIKE

- ↗ FSA Orbit 1.5ZS NO.57SC
- ↗ EXTEND D601 Oversize 31,8mm x 60 mm
- ↗ EXTEND Alloy 760mm
- ↗ HERRMANS Cuadro Lock DD24B Open 130 mm
- ↗ EXTEND SP-C-239 31.6x400 mm
- ↗ WTB Volt Sport 142 mm
- ↗ NOVATEC D041SB 15x110 / D142SB 12x142 mm
- ↗ WTB Srapier i35 584x35, 32H, Black
- ↗ WTB Trail Boss Comp 27,5' x 2.6
- ↗ FP-971 alloy
- ↗ 9
- ↗ M/L
- ↗ 24,0 kg

size	M	L
code	B19193	B19194



## SPECIFICATION

- |   |   |
|---|---|
| ↗ E-LLEN CROSS Alloy  | ↗ FSA NO.11P  |
| ↗ SR SUNTOUR NEX Hydraulic Lock, DS-700C, 63mm, Disc                                | ↗ EXTEND ELITE C302, 90mm                           |
| ↗ BAFANG MODEST CANBUS  | ↗ EXTEND Elite Alu, Backsweep 9°, Upsweep 4°, 700mm |
| ↗ LG Li-Ion F1L 36V/13,4Ah, Frame Integrated, Intelligent Battery Management System | ↗ HERRMANS OXY                                      |
| ↗ BAFANG C18.CAN 700C, 5 modes  | ↗ EXTEND Elite Alu 31.6x350mm                       |
| ↗ SHIMANO Alivio RD-M4000 SGS 9speed  | ↗ EXTEND MEMO 280x170mm                             |
| ↗ SHIMANO SL-M2000, 9speed Rapidfire Plus   | ↗ SHIMANO TX505 Centerlock                          |
| ↗ SHIMANO BR-MT200 Hydraulic  | ↗ ORIN 622x19, 32dier                               |
| ↗ BAFANG CK A01, 170mm (38z)  | ↗ MICHELIN PROTEK Access Line 700 x 40C             |
| ↗ SHIMANO CS-HG200 9-Speed, 11-34z  | ↗ EXTEND Alu Black                                  |
| ↗ KMC X9eS 9Speed E-BIKE  | ↗ 1x9   |
|   | ↗ 18  |
|   | ↗ 23,4 kg   |

size

18"

code

B20291

# E-LLIOT MODEST CROSS



## SPECIFICATION

- ↗ E-LLIOT CROSS MODEST
- ↗ SR SUNTOUR NEX Hydraulic Lock, DS-700C, 63mm, Disc
- ⌚ BAFANG MODEST CANBUS
- ↗ LG Li-Ion F1L 36V/16Ah, Frame Integrated, Intelligent Battery Management System
- ▣ BAFANG C18.CAN 700C, 5 modes
- ↗ SHIMANO Alivio RD-M4000 SGS 9speed
- ↗ SHIMANO SL-M2000, 9 speed Rapidfire Plus
- ↗ SHIMANO BR-MT200 Hydraulic
- ↗ BAFANG CK A01, 170mm, prevodník 38z
- ↗ SHIMANO CS-HG200 9-Speed, 11-34z
- ↗ KMC X9eS 9Speed E-BIKE
- ↗ FSA NO.11P
- EXTEND ELITE C302, 90mm
- EXTEND Elite Alu, Backsweep 9°, Upsweep 4°, 700mm
- HERRMANS OXY
- EXTEND Elite Alu 31.6x350mm
- EXTEND MEMO 268 x 155mm
- SHIMANO TX505 Centerlock
- ORIN 622x19, 32dier
- MICHELIN PROTEK Access Line 700 x 40C
- EXTEND Alu Black
- 1x9
- 18/20
- 22,4 kg

size	18"	20"
code	B20294	B20295

28 E-BIKE

# E-LLEN MODEST TOUR



## SPECIFICATION

- ↗ E-LLEN TOUR Alloy
- ↗ SR SUNTOUR NEX Hydraulic Lock, DS-700C, 63mm, Disc
- ⌚ BAFANG Modest canbus
- LG Li-Ion F1L 36V/13,4Ah, Frame Integrated, Intelligent Battery Management System
- BAFANG C18.CAN 700C, 5 modes
- SHIMANO Alivio RD-M4000 SGS 9speed
- SHIMANO SL-M2000, 9-speed Rapidfire Plus
- SHIMANO MT200 Hydraulic
- SHIMANO BR-MT200 Hydraulic
- SHIMANO CS-HG200 9-Speed, 11-34z
- KMC X9eS 9Speed E-BIKE
- FSA TH-807ST

- EXTEND ELITE C331, 25,4x 90mm, nastavitelný
- EXTEND Elite Alu, šírka 660mm
- HERRMANS OXY
- EXTEND Alloy 31,6x350mm
- EXTEND MEMO 280x170mm
- SHIMANO TX505 Centerlock
- ORIN 622x19, 32dier
- MICHELIN PROTEK Access Line 700 x 38C
- EXTEND Alu Black
- ⌚ 1x9
- ⌚ 18
- ⌚ 24,3 kg

size

18"

code

B20299

## E-LLIOT MODEST TOUR

**SPECIFICATION**

- |  |   |  |   |
|--|---|--|---|
|  | E-LLIOT TOUR Alloy  |  | FSA TH-807ST                                |
|  | SR SUNTOUR NEX Hydraulic Lock, DS-700C, 63mm, Disc                              |  | EXTEND ELITE C331, 25,4x 90mm, nastavitelný |
|  | BAFANG MODEST CANBUS  |  | EXTEND Elite Alu, šírka 660mm               |
|  | LG Li-Ion F1L 36V/16Ah, Frame Integrated, Intelligent Battery Management System |  | HERRMANS OXY                                |
|  | BAFANG C18.CAN 700C, 5 modes  |  | EXTEND Alloy 31,6x350mm                     |
|  | SHIMANO Alivio RD-M4000 SGS 9speed  |  | EXTEND MEMO 268 x 155mm                     |
|  | SHIMANO SL-M2000, 9 speed Rapidfire Plus  |  | SHIMANO TX505 Centerlock                    |
|  | SHIMANO BR-MT200 Hydraulic  |  | ORIN 622x19, 32dier                         |
|  | BAFANG CK A01, 170mm (38t)  |  | MICHELIN PROTEK Access Line 700 x 38C       |
|  | SHIMANO CS-HG200 9-Speed, 11-34z  |  | EXTEND Alu Black                            |
|  | KMC X9eS 9Speed E-BIKE  |  | 1x9   |
|  |   |  | 18 / 20                                     |
|  |   |  | 24,3 kg                                     |

size	18"	20"
code	B20302	B20303

# 26" E-BIKE E-SILENCE<sup>7sp</sup>



## SPECIFICATION

- ↗ E-SILENCE Alloy
- ↗ E-Silence 26"
- ⌚ BAFANG RM G010 250W 36V
- 🔋 LG Li-Ion B4 36V/10,4Ah, Intelligent Battery Management System
- ⌚ BAFANG C15.CAN 26", 5 modes
- 🚲 SHIMANO Acera RD-M360 SGS 7/8speed
- ↪ SHIMANO Tourney 7-speed Revo Shifter
- ↗ EXTEND Alu V-Brake
- ↗ SR SUNTOUR CW17, 170mm (38t)
- ↗ THUN Cartridge Axle 123mm
- ⌚ SHIMANO MF-TZ500 14-28z, 7speed
- ↗ KMC Z51
- ↗ EXTEND
- ↗ EXTEND Alloy 40mm 30°
- ↗ EXTEND City
- ↗ HERRMANS Ergo
- ↗ EXTEND Performance Alloy 27,2 x 350mm
- ↗ EXTEND City
- ↗ JOYTECH JY751 32 dier QR
- ↗ ORIN 559x19, 32P/36Z dier
- ↗ FREEDOM Wedge 26x1,75" E-Bike, antipuncture, reflex
- ↗ EXTEND Flat
- ↗ 1x7
- ↗ UNI
- ↗ 21,6 kg

size	UNI
code	B20304

## E-CARMEN 7sp



## SPECIFICATION

- ↗ E-CARMEN Alloy
- ↗ SR SUNTOUR CR-7V 700C
- ↗ BAFANG RM G010 250W 36V
- ↗ LG Li-Ion B4 36V/10,4Ah, Intelligent Battery Management System
- ↗ BAFANG E08.CAN LED 700C, 5 modes
- ↗ SHIMANO Altus RD-M310 7-speed
- ↗ SHIMANO SL-RS35 REVO, 7speed
- ↗ EXTEND Alu V-Brake
- ↗ SR SUNTOUR CW17, prevodník 38z, 170mm
- THUN Cartridge Axle 123mm
- ↗ SHIMANO MF-TZ500 14-28z, 7speed
- ↗ KMC Z51
- ↗ EXTEND
- ↘ EXTEND Alloy 40mm 30°
- ↘ EXTEND City
- ↘ HERRMANS Ergo
- ↗ EXTEND Performance Alloy 27,2 x 350mm
- ↗ EXTEND City
- ↗ JOYTECH JY751 32 dier QR
- ↗ ZEEROO City Black 622x19, 32P/36Z dier
- ↗ FREEDOM Wedge 700x38 E-Bike, antipuncture, reflex
- ↗ EXTEND Flat
- ↗ 1x7
- ↗ UNI
- ↘ 22,9 kg

size	UNI
code	B20306

28/E-BIKE

# E-ROYAL MODEST



## SPECIFICATION

- |  |   |
|--|---|
| ROYAL 28 MODEST Alloy  | FSA TH-807ST                                |
| SR SUNTOUR NEX Hydraulic Lock, DS-700C, 63mm, Disc           | EXTEND ELITE C331, 25,4x 90mm, nastavitelný |
| BAFANG MODEST CANBUS   | EXTEND Elite Alu, šířka 660mm               |
| LG Li-Ion B4 36V/13Ah, Intelligent Battery Management System | HERRMANS OXY                                |
| Bafang C18.CAN 700C, 5 modes                                 | EXTEND Elite Alu 30,4x350mm                 |
| SHIMANO Acera RD-M360 SGS 7/8speed                           | EXTEND MEMO 280x170mm                       |
| SHIMANO SL-RS45-7R, Tourney 7-Speed Revo Shifter             | SHIMANO TX505 Centerlock                    |
| SHIMANO BR-MT200 Hydraulic                                   | ORIN 622x19, 32dier                         |
| BAFANG CK A05, 170mm (38z)                                   | MICHELIN PROTEK Access Line 700 x 35C       |
| BAFANG Cartridge JIS axle                                    | EXTEND Alu Black                            |
| SHIMANO CS-HG200 7-Speed, 12-28z                             | 1x7   |
| KMC X8 E-BIKE  | UNI   |
|  | 24,6 kg                                     |

size

UNI

code

B20308

E-BIKE



# ROAD



ROAD



CARBON FIBER



SMOOTH INNER SURFACE



INNER CABLE ROUTING



CARBON FIBER DROPOUTS



TAPERED HEAD TUBE



AI 6061



DEMA CUSTOM TUBES



HEAT TREATMENT



BIAXIAL TUBE PROFIL




HIGH PERFORMANCE CHAINSTAYS



3D FORGED DROPOUTS



## GEOMETRY



model	size	A	B	C	D	E	F	G	H	I
LEONY	520	510	535	160	408	70	73°	7°	974	374
	550	540	547	180	408	68	73°	73,5°	981	375
	570	570	565	200	408	68	73,5°	73°	987	381



XS/480  
165-175 cm

S/520  
170-180 cm

M/550  
175-185 cm

L/570  
180-190 cm

ROAD

# LEONY 7.0



## SPECIFICATION

- ↗ DEMA Leony internal routing, smooth welding, Alloy 6061-T6
- ↗ DEMA Carbon fork
- ↗ SHIMANO "New" 105 RD-R7000, 11-speed
- ↗ SHIMANO "New" 105 FD-R7000
- ↗ SHIMANO "New" 105 ST-R7000 2x11-speed
- ↗ SHIMANO "New" 105 BR-R7000
- ↗ SHIMANO "New" 105 FC-R7000, 52/36T, 11-speed, Hollowtech II
- ↗ FSA MegaExo BB-6200
- ↗ SHIMANO "New" 105 CS-R7000, 11-SPEED, 11-30T
- ↗ FSA Team Issue 11-speed
- ↗ FSA No. 11P
- ↗ FSA OS-168, 520=90mm, 550=100mm, 570=120mm
- ↗ FSA Vero Compact, 520,550=420mm, 570=440mm
- ↗ CORK HB30 Black
- ↗ FSA Gossamer SB20, 27.2x350mm, 20mm offset
- ↗ EXTEND DR156 SE
- ↗ VISION Team 30 Comp
- ↗ VISION Team 35 Comp Clincher
- ↗ MAXXIS DETONATOR 700x25C 60TPI
- ↗ -
- ↗ 22
- ↗ 520/550/570
- ↗ 9,1 kg

code	520	550	570
size	B19011	B19012	B19013

ROAD

# LEONY 5.0



## SPECIFICATION

- DEMA Leony internal routing, smooth welding, Alloy 6061-T6
- DEMA Carbon fork
- SHIMANO Tiagra RD-4700 10-speed
- SHIMANO Tiagra FD-4700
- SHIMANO Tiagra ST-4700 2x10-speed
- SHIMANO Tiagra BR-4700
- FSA Gossamer Compact MegaExo, 50/34T
- FSA MegaExo BB-6200
- SHIMANO HG500 10-SPEED 12-28T
- FSA Team Issue 10-speed
- FSA No. 11P
- EXTEND Elite II Road, 520/550=90mm, 570=105mm
- FSA Vero Compact, 520,550=420mm, 570=440mm
- CORK HB30 Black
- EXTEND Elite II Alloy, 27.2x350mm
- EXTEND DR156 SE
- JOYTECH 171DSE/192DSE 28H
- REMERX Rapid 622x15, 28H
- FREEDOM Roadrunner 700 x 25c Sport tire
- -
- 20
- 520/550/570
- 9,45 kg

code	520	550	570
size	B19014	B19015	B19016

ROAD

# LEONY 3.0



## SPECIFICATION

- ↗ DEMA Leony external routing, smooth welding, Alloy 6061-T6
- ↗ DEMA Alloy fork
- ↗ SHIMANO Sora RD-R3000 SS
- ↗ SHIMANO Sora FD-R3000
- ↗ SHIMANO Sora ST-R3300 2x9 speed
- ↗ EXTEND Road Black, w/ black pad holder
- ↗ FSA Omega MegaExo 50x34
- ↗ FSA MegaExo BB-6200
- ↗ SHIMANO HG201-9 (11-32)
- ↗ FSA Team Issue 9-speed
- ↗ FSA No. 11P
- ↗ EXTEND Performance
- ↗ EXTEND Road Elite II
- ↗ CORK HB30 Black
- ↗ EXTEND Performance SB15 Alloy, 27.2x350mm
- ↗ EXTEND D3881
- ↗ JOYTECH 171DSE/192DSE 28H
- ↗ REMERX Rapid 622x15, 28H
- ↗ FREEDOM Roadrunner 700 x 25c Sport tire
- ↗ -
- ↗ 18
- ↗ 520/550/570
- ↗ 9,6 kg

code	520	550	570
size	B19017	B19018	B19019

ROAD

# LEONY 1.0




## SPECIFICATION

- ↗ DEMA Leony external routing, smooth welding, Alloy 6061-T6
- ↗ DEMA Alloy fork
- ↗ SHIMANO RD-R2000 SS
- ↗ SHIMANO FD-R2000
- ↗ SHIMANO ST-R2000 2x8 speed
- ↗ EXTEND Road Black
- ↗ FSA Tempo Comapct JIS 50x34
- ↗ FSA BB-7420ST JIS, 110.5mm
- ↗ SHIMANO CS-HG41-8 (11-30)
- ↗ KMC Z7 8-speed
- ↗ FSA No. 11P
- ↗ EXTEND Performance
- ↗ EXTEND Road Elite II
- ↗ CORK HB30 Black
- ↗ EXTEND Performance SB15 Alloy, 27.2x350mm
- ↗ EXTEND D3881
- ↗ JOYTECH 171DSE/192DSE 28H
- ↗ REMERX Rapid 622x15, 28H
- ↗ FREEDOM Roadrunner 700 x 25c Sport tire
- ↗ -
- ↗ 16
- ↗ 520/550/570
- ↗ 9,7 kg

code	520	550	570
size	B19020	B19021	B19022

# GRAVEL



**AI** 6061

**DCT**  
DEMA CUSTOM TUBES

**HT**  
HEAT TREATMENT

**BTP**  
BIAXIAL TUBE PROFIL

**HPC**  
HIGH PERFORMANCE CHAINSTAYS


**STBB**  
STANDARD THREADED BOTTOM BRACKET

**3D-FD**  
3D FORGED DROPOUTS


GRAVEL



## GEOMETRY



size	A	B	C	D	E	F	G	H	I
520	520	525	120	420	70	71,5°	74,5°	995	377
550	540	545	135	420	70	72°	74°	1005	388
570	555	570	150	420	70	72,5°	73,5°	1021	402



**S/520**

170-180 cm

**M/550**

175-185 cm

**L/570**

180-190 cm

# GRAVEL GRID 3.0



## SPECIFICATION

- △ DEMA Grid gravel Alloy 6061-T6
- ▷ DEMA Grid Carbon fork, tapered
- ❖ SHIMANO RX400 10 speed
- ↔ SHIMANO RX400 2x10 speed
- ↑ SHIMANO Tiagra 2x10 speed hydraulic
- SHIMANO RS305 mechanical disc brake
- ☞ FSA OMEGA Adventure 46/30z
- FSA BB-4000 BSA Megaexo
- SHIMANO HG500 11-34z 10speed
- ☛ FSA Team Issue 10 speed
- ☛ FSA ORBIT ITA B
- ☛ EXTEND Elite II Road 90mm

- FSA Vero Compact 420mm
- EXTEND Cork black
- ↖ EXTEND Elite II Alloy, 27.2x350mm
- EXTEND SPEED WAY FLOW
- NOVATEC D791SB-CL-12 / D162SB-SL-CL-X12-11S
- ORIN DISC J19ZK 622x19mm
- ==== WTB Riddler 700 x 37c Comp, Tan Sidewall
- ↔ -
- ↔ 2x10
- ↔ 520/550/570
- 10,9 kg

code	520	550	570
size	B20047	B20048	B20049

GRAVEL





MTB

AI 6061

DCT  
DEMA CUSTOM TUBES

DB  
DOUBLE BUTTED TUBES

HT  
HEAT TREATMENT

BTP  
BIAXIAL TUBE PROFIL

HPC  
HIGH PERFORMANCE CHAINSTAYS

STBB  
STANDARD THREADED BOTTOM BRACKET


3D-FD  
3D FORGED DROPOUTS

HI-TEN


MTB



## GEOMETRY



model	size	A	B	C	D	E	F	G	H	I
REBELL	17"	440	605	100	425	58	69,5°	74°	1111	432
	19"	480	630	110	425	58	69,5°	74°	1137	454
	21"	530	655	125	425	58	69,5°	74°	1163	475
ENERGY	17"	430	595	105	435	60	69,5°	74°	1115	426
	19"	480	615	110	435	60	69,5°	74°	1136	445
	21"	530	640	120	435	60	69,5°	74°	1159	465
PEGAS	17"	440	590	120	435	50	70°	73°	1080	405
	19"	480	610	120	435	50	70°	73°	1100	425
	21"	530	630	130	435	50	70°	73°	1121	440
ECCO	17"	410	555	120	425	40	70°	73°	1046	395
	19"	460	575	130	425	40	70°	73°	1056	401
	21"	510	595	140	425	40	70°	73°	1077	418



M/17"

165-178 cm

L/19"

175-188 cm

XL/21"

185-195 cm



## SPECIFICATION

- ↗ DEMA Rebell carbon HT
- ↗ Rock Shox RECON RL 100mm Boost
- ↗ SHIMANO Deore XT M8100SGS 12 speed
- ↗ SHIMANO SLX M7100 12 speed
- ↗ SHIMANO MT400 Hydraulic Disc brake
- ↗ FSA Comet Modular, 34z, Direct Mount MegaExo
- FSA BB92
- ↗ SHIMANO M7100 10-51z 12speed
- ↗ SHIMANO 12 speed
- ↗ FSA Orbit C-40-ACB, NO.42/ACB
- ↗ EXTEND Race 75mm
- EXTEND Race 700mm

- EXTEND silicon grip
- ↗ EXTEND Race 30,9x350mm
- ↗ SELLE ITALIA X-LR AIR-Cross Light SF
- SHIMANO MT400 15x110mm /  
MT510 12x148mm
- ↗ ORIN DISC 622x25mm tubeless ready
- MICHELIN FORCE XC 29X2.25 TLR
- -
- ↗ 1x12
- 17/19/21
- 12,1 kg

size	17"	19"	21"
code	B20329	B20330	B20331

## REBELL COMP

**SPECIFICATION**

- DEM Rebell carbon HT
- RED 680TA Air Remote Lock, 100mm Boost
- SRAM SX EAGLE 12speed
- SRAM SX EAGLE 12speed
- SHIMANO MT200 Hydraulic disc brake
- FSA Gamma Pro 32z, MegaExo
- FSA BB92
- SRAM EAGLE PG1210 10-50z 12SPEED
- SRAM SX EAGLE
- FSA Orbit C-40-ACB, NO.42/ACB
- EXTEND Race 75mm
- EXTEND Race 700mm
- EXTEND silicon grip
- EXTEND Race 30,9x350mm
- EXTEND SPEED WAY FLOW
- SHIMANO MT400 BOOST
- ORIN DISC 622x25mm tubeless ready
- MICHELIN COUNTRY GRIP'R 29 x 2,1"
- 
- 1x12
- 17/19/21
- 11,9 kg

size	17"	19"	21"
code	B20335	B20336	B20337

MTB  
29 ENERGY TEAM2



## SPECIFICATION

- ▷ DEMA Energy RACE DB Alloy
- ▷ Rock Shox RECON RL 100mm Boost
- ▷ SHIMANO Deore XT M8100SGS 12 speed
- ▷ SHIMANO SLX M7100 12 speed
- ▷ SHIMANO MT400 Hydraulic Disc brake
- ▷ FSA Comet Modular, 34z, Direct Mount MegaExo
- ▷ FSA BB-7100 MEGAEXO
- ▷ SHIMANO M7100 10-51z 12speed
- ▷ SHIMANO 12 speed
- ▷ EXTEND Tapered SZ44/56mm
- ▷ EXTEND Race 75mm
- ▷ EXTEND Race 700mm

- EXTEND silicon grip
- ▷ EXTEND Race 31,6x350mm
- ▷ SELLE ITALIA X-LR AIR-Cross Light SF
- ▷ SHIMANO MT400 15x110mm / MT500 141mm
- ▷ ORIN DISC 622x25mm tubeless ready
- ▷ MICHELIN FORCE XC 29X2.25 TLR
- ▷ -
- ▷ 1x12
- ▷ 17/19/21
- 13,6 kg

size	17"	19"	21"
code	B20054	B20055	B20056

## ENERGY TEAM1

**SPECIFICATION**

- ↗ DEMA Energy RACE DB Alloy
- ↗ ROCK SHOX FS30 SILVER TK REMOTE 29" SOLO AIR 100mm
- ↗ SRAM GX EAGLE 12 speed
- ↗ SRAM NX EAGLE 12 speed
- ↗ SHIMANO MT400 Hydraulic Disc brake
- ↗ SRAM X1 EAGLE 34z DUB BOOST
- ↗ SRAM BSA73 DUB
- ↗ SRAM EAGLE PG1210 10-50z 12SPEED
- ↗ SRAM EAGLE 12 speed
- ↗ EXTEND Tapered SZ44/56mm
- ↗ EXTEND Race 75mm
- ↘ EXTEND Race 700mm
- ↘ EXTEND silicon grip
- ↘ EXTEND Race 31,6x350mm
- ↘ SELLE ITALIA NOVUS BOOST SF
- ↘ SHIMANO MT200 100mm / QR Boost 141mm
- ↘ ORIN DISC 622x25mm tubeless ready
- ↘ MICHELIN FORCE XC 29X2.25 TLR
- ↗ -
- ↗ 1x12
- ↗ 17/19/21
- ↘ 13,0 kg

size	17"	19"	21"
code	B20057	B20058	B20059

# 29<sup>MTB</sup> ENERGY 12.0



## SPECIFICATION

- ↗ DEMA Energy RACE DB Alloy
- ↗ ROCK SHOX FS30 SILVER TK REMOTE 29" SOLO AIR 100mm
- ↗ SRAM SX EAGLE 12speed
- ↗ SRAM SX EAGLE 12speed
- ↗ SHIMANO MT200 Hydraulic disc brake
- ↗ SRAM X1 EAGLE 34z DUB BOOST
- ↗ SRAM BSA73 DUB
- ↗ SRAM EAGLE PG1210 10-50z 12SPEED
- ↗ SRAM SX EAGLE
- ↗ EXTEND Tapered SZ44/56mm
- ↗ EXTEND Race 75mm

- ↘ EXTEND Race 700mm
- ↘ EXTEND silicon grip
- ↘ EXTEND Race 31,6x350mm
- ↘ SELLE ITALIA NOVUS BOOST SF
- ↘ SHIMANO MT200 100mm / QR Boost 141mm
- ↘ ORIN DISC 622x25mm tubeless ready
- ↘ MICHELIN COUNTRY GRIP'R 29 x 2,1"
- ↗ -
- ↗ 1x12
- ↗ 17/19/21
- ↘ 13,3 kg

size	17"	19"	21"
code	B20060	B20061	B20062

## ENERGY 10.0

**SPECIFICATION**

- ↗ DEMA Energy COMP DB Alloy
- ↗ RED 680TA Air Remote Lock, 100mm Boost
- ↗ SHIMANO DEORE XT M781SGS
- ↗ SHIMANO DEORE M617 SIDE SWING
- ↗ SHIMANO DEORE SL-M6000 2x10mm
- ↗ SHIMANO MT200 Hydraulic disc brake
- ↗ FSA GAMMA DRIVE MEGAEXO 36/24z
- ↗ FSA BB-1000
- ↗ SHIMANO HG50 10 speed 11-36z
- ↗ FSA TEAM ISSUE 10 speed
- ↗ EXTEND Tapered SZ44/56mm
- ↗ EXTEND ELITE II 75mm
- ↘ EXTEND ELITE II 700mm
- ↘ EXTEND silicon grip
- ↘ EXTEND ELITE II 31,6x350mm
- ↘ SELLE ITALIA X3 BOOST
- ↘ SHIMANO MT400 15x110mm / MT200 QR Boost 141mm
- ↘ ORIN DISC 622x25mm tubeless ready
- ↘ MICHELIN COUNTRY GRIP'R 29 x 2,1"
- ↗ EXTEND FLAT Alloy
- ↗ 2x10
- ↗ 17/19/21
- ↘ 13,0 kg

size	17"	19"	21"
code	B20063	B20064	B20065

# 29 MTB ENERGY 9.0



## SPECIFICATION

- ↗ DEMA Energy COMP DB Alloy
- ↗ RED 366 Air Remote Lock, 100mm, tapered
- ↗ SHIMANO DEORE M610SGS 10 speed
- ↗ SHIMANO DEORE M617 SIDE SWING
- ↗ SHIMANO DEORE SL-M6000 2x10mm
- ↗ SHIMANO MT200 Hydraulic disc brake
- ↗ FSA GAMMA DRIVE MEGAEXO 36/24z
- ↗ FSA BB-1000
- ↗ SHIMANO HG50 10 speed 11-36z
- ↗ FSA TEAM ISSUE 9 speed
- ↗ EXTEND Tapered SZ44/56mm
- ↗ EXTEND ELITE II 75mm

- ↘ EXTEND ELITE II 700mm
- ↘ EXTEND silicon grip
- ↘ EXTEND ELITE II 31,6x350mm
- ↘ EXTEND SPEED WAY FLOW
- ↘ SHIMANO TX505 QR 9x100mm / MT200 QR Boost 141mm
- ↗ ORIN DISC 622x25mm tubeless ready
- ↗ MICHELIN COUNTRY GRIP'R 29 x 2,1"
- ↗ EXTEND FLAT PP
- ↗ 2x10
- ↗ 17/19/21
- ↘ 12,0 kg

size	17"	19"	21"
code	B20066	B20067	B20068



## SPECIFICATION

- ▷ DEMA Energy DB Alloy
- ▷ RED 366 Air Remote Lock, 100mm
- ▷ SHIMANO ALIVIO M4000SGS 9 speed
- ▷ SHIMANO M2020 2x9 speed TOP SWING
- ▷ SHIMANO M2010 2x9 speed
- ▷ SHIMANO MT200 Hydraulic disc brake
- ▷ SHIMANO MT101 36/22z 2x9 speed
- ▷ EXTEND B902 BSA 68x122,5mm
- ▷ SHIMANO HG200 9 speed 11-36z
- ▷ FSA TEAM ISSUE 9 speed
- ▷ EXTEND Semiintegrated 28,6/44/30mm
- ▷ EXTEND ELITE II 75mm

- EXTEND ELITE II 700mm
- EXTEND silicon grip
- ↗ EXTEND ELITE II 27,2x350mm
- EXTEND SPEED WAY FLOW
- SHIMANO TX505 QR 9x100mm / TX505 QR 9x135 mm
- △ ORIN DISC 622x25mm tubeless ready
- xxx MICHELIN COUNTRY GRIP'R 29 x 2,1"
- ↔ EXTEND FLAT PP
- 2x9
- 17/19/21
- 13,0 kg

size	17"	19"	21"
code	B20069	B20070	B20071

# 29 MTB ENERGY 7.0



## SPECIFICATION

- ↗ DEMA Energy DB Alloy
- ↗ RED 366 Air Remote Lock, 100mm
- ↗ SHIMANO ALIVIO M4000SGS 9 speed
- ↗ SHIMANO M2020 2x9 speed TOP SWING
- ↗ SHIMANO M2010 2x9 speed
- ↗ SHIMANO MT200 Hydraulic disc brake
- ↗ SHIMANO MT101 36/22z 2x9 speed
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG200 9 speed 11-36z
- ↗ FSA TEAM ISSUE 9 speed
- ↗ EXTEND Semiintegrated 28,6/44/30mm
- ↗ EXTEND ELITE II 75mm
- ↘ EXTEND ELITE II 700mm
- ↘ EXTEND silicon grip
- ↘ EXTEND ELITE II 27,2x350mm
- ↘ EXTEND SPEED WAY FLOW
- ↘ SHIMANO TX505 QR 9x100mm / TX505 QR 9x135 mm
- ↗ ORIN DISC 622x25mm tubeless ready
- ↗ MICHELIN COUNTRY GRIP'R 29 x 2,1"
- ↗ EXTEND FLAT PP
- ↗ 2x9
- ↗ 17/19/21
- ↘ 13,0 kg

size	17"	19"	21"
code	B20072	B20073	B20074



## SPECIFICATION

- ↗ DEMA Energy DB Alloy
- ↗ RED 360 Remote Lock, 100mm
- ↗ SHIMANO ALTUS M2000SGS 9 speed
- ↗ SHIMANO M2020 2x9 speed TOP SWING
- ↗ SHIMANO M2010 2x9 speed
- ↗ SHIMANO MT200 Hydraulic disc brake
- ↗ SHIMANO MT101 36/22z 2x9 speed
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG200 9 speed 11-36z
- ↗ FSA TEAM ISSUE 9 speed
- ↗ EXTEND Semiintegrated 28,6/44/30mm
- ↗ EXTEND ELITE II 75mm
- ↘ EXTEND ELITE II 700mm
- ↘ SHIMANO DD00A
- ↘ EXTEND ELITE II 27,2x350mm
- ↘ EXTEND SPEED WAY FLOW
- ↘ SHIMANO TX505 QR 9x100mm / TX505 QR 9x135 mm
- ↘ ORIN DISC J19ZK 622x19mm
- ↘ FREEDOM DUAL SPORT 29x2,1"
- ↘ EXTEND FLAT PP
- ↘ 2x9
- ↘ 17/19/21
- ↘ 15,0 kg

size	17"	19"	21"
code	B20078	B20079	B20080

# 29" MTB ENERGY 3.0



## SPECIFICATION

- ↗ DEMA Energy DB Alloy
- ↗ RED 330 Hydraulic Lock, 100mm
- ↗ SHIMANO ALTUS M310L 8 speed
- ↗ SHIMANO M315 2x8 speed TOP SWING
- ↗ SHIMANO M315 2x8 speed
- ↗ SHIMANO MT200 Hydraulic disc brake
- ↗ SHIMANO M315 36/22z 2x8 speed
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG50 8 speed 12-32z
- ↗ KMC Z7 8 speed
- ↗ EXTEND Semiintegrated 28,6/44/30mm
- ↗ EXTEND ELITE II 75mm
- EXTEND ELITE II 700mm
- SHIMANO DD00A
- ↗ EXTEND ELITE II 27,2x350mm
- EXTEND SPEED WAY FLOW
- SHIMANO TX505 QR 9x100mm / TX505 QR 9x135 mm
- ↗ ORIN DISC J19ZK 622x19mm
- FREEDOM DUAL SPORT 29x2,1"
- ↗ EXTEND FLAT PP
- ↗ 2x8
- ↗ 17/19/21
- 14,7 kg

size	17"	19"	21"
code	B20081	B20082	B20083

## ENERGY 3.0



## SPECIFICATION

- ↗ DEMA Energy DB Alloy
- ↗ RED 330 Hydraulic Lock, 100mm
- ↗ SHIMANO ALTUS M310L 8 speed
- ↗ SHIMANO M315 2x8 speed TOP SWING
- ↗ SHIMANO M315 2x8 speed
- ↗ SHIMANO MT200 Hydraulic disc brake
- ↗ SHIMANO M315 36/22z 2x8 speed
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG50 8 speed 12-32z
- ↗ KMC Z7 8 speed
- ↗ EXTEND Semiintegrated 28,6/44/30mm
- ↗ EXTEND ELITE II 75mm
- EXTEND ELITE II 700mm
- SHIMANO DD00A
- ↗ EXTEND ELITE II 27,2x350mm
- EXTEND SPEED WAY FLOW
- SHIMANO TX505 QR 9x100mm / TX505 QR 9x135 mm
- ↗ ORIN DISC J19ZK 622x19mm
- FREEDOM DUAL SPORT 29x2,1"
- ↗ EXTEND FLAT PP
- ↗ 2x8
- ↗ 17/19/21
- 14,7 kg

size	17"	19"	21"
code	B20084	B20085	B20086

# 29" MTB ENERGY 1.0



## SPECIFICATION

- ↗ DEMA Energy DB Alloy
- ↗ RED 330 Mechanical Lock, 100mm
- ↗ SHIMANO TX800 8 speed
- ↗ SHIMANO TY700 3x8 speed TOP SWING
- ↗ SHIMANO TX800 3x8 speed
- ↗ SHIMANO TX805 mechanical disc
- ↗ SHIMANO TY301 42/34/24z
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG50 8 speed 12-32z
- ↗ KMC Z7 8 speed
- ↗ EXTEND Semiintegrated 28,6/44/30mm
- ↗ EXTEND ELITE II 75mm
- ↘ EXTEND ELITE II 700mm
- ↘ SHIMANO DD00A
- ↘ EXTEND ELITE II 27,2x350mm
- ↘ EXTEND SPEED WAY
- ↘ SHIMANO TX505 QR 9x100mm / TX505 QR 9x135 mm
- ↘ ORIN DISC J19ZK 622x19mm
- ↘ FREEDOM DUAL SPORT 29x2,1"
- ↘ EXTEND FLAT PP
- ↘ 3x8
- ↘ 17/19/21
- ↘ 15,2 kg

size	17"	19"	21"
code	B20090	B20091	B20092



## SPECIFICATION

- ↗ DEMA Pegas Performance Alloy
- ↗ RED 330, Remote lock 100mm
- ↗ SHIMANO ALTUS M370SGS 9 speed
- ↗ SHIMANO M2020 2x9 speed TOP SWING
- ↗ SHIMANO M2010 2x9 speed
- ↗ SHIMANO MT200 Hydraulic disc brake
- ↗ SHIMANO MT101 36/22z 2x9 speed
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG200 9 speed 11-36z
- ↗ FSA TEAM ISSUE 9 speed
- ↗ EXTEND Semiintegrated 28,6/44/30mm
- ↗ EXTEND ELITE II 90mm

- ↖ EXTEND ELITE II 740mm
- ↘ SHIMANO DD00A
- ↖ EXTEND ELITE II 27,2x350mm
- ↗ EXTEND SPEED WAY
- ↗ SHIMANO TX505 QR 9x100mm / TX505 QR 9x135 mm
- ↗ ORIN DISC J19ZK 584x19mm
- ↗ FREEDOM GANGSTER 27,5x2,1" SPORT
- ↗ EXTEND FLAT PP
- ↗ 2x9
- ↗ 17/19
- ↘ 14,3 kg

size	17"	19"
code	B20101	B20102

# 27<sup>5</sup> MTB PEGAS 5.0



## SPECIFICATION

- ↗ DEMA Sport Disc 27.5 Alloy 6061-T6
- ↗ SUNTOUR XCT DS 27,5" 100mm Hydra Lockout
- ↗ SHIMANO TX-800, 7/8Speed
- ↗ SHIMANO TX-800 Top Swing
- ↗ SHIMANO ST-EF41 3x7Speed
- ↗ SHIMANO TX-805 Mechanic, 160/160mm
- ↗ SHIMANO TY301 42x32x24T
- ↗ FSA BB-7420ST JIS, 124.5mm
- ↗ SHIMANO HG200-8 (12-32)
- ↗ KMC Z7
- ↗ FSA No.10P
- ↗ EXTEND Elite II 10° OverSize

- EXTEND Performance Alloy OS 680mm
- HERRMANS SHIMANO DC
- ↗ EXTEND Performance, 27.2x350mm
- ↗ SELLE ROYAL Mach
- ↗ SHIMANO TX-505 Centerlock 32H
- ↗ REMERX TopDisc 584x19, 32H
- ↗ FREEDOM Gangster 27,5x2,1"
- ↗ FP-906
- ↗ 3x8
- ↗ 17/19/21
- 15,1 kg

size	17"	19"	21"
code	B19059	B19060	B19061



## SPECIFICATION

- ↗ DEMA Sport Disc 27.5 Alloy 6061-T6
- ↗ SUNTOUR XCT DS 27,5" 100mm Hydra Lockout
- ↗ SHIMANO TX-800, 7/8Speed
- ↗ SHIMANO TX-800 Top Swing
- ↗ SHIMANO ST-EF41 3x7Speed
- ↗ SHIMANO TX-805 Mechanic, 160/160mm
- ↗ SHIMANO TY301 42x32x24T
- ↗ FSA BB-7420ST JIS, 124.5mm
- ↗ SHIMANO HG200-8 (12-32)
- ↗ KMC Z7
- ↗ FSA No.10P
- ↗ EXTEND Elite II 10° OverSize

- EXTEND Performance Alloy OS 680mm
- HERRMANS SHIMANO DC
- EXTEND Performance, 27.2x350mm
- SELLE ROYAL Mach
- SHIMANO TX-505 Centerlock 32H
- REMERX TopDisc 584x19, 32H
- FREEDOM Gangster 27,5x2,1"
- FP-906
- 3x8
- 17/19
- 15,1 kg

size	17"	19"
code	B19062	B19063

# 27<sup>5</sup> MTB PEGAS 3.0



## SPECIFICATION

- ↗ DEMA Sport 27.5 Alloy 6061-T6 V-Brake
- ↗ SUNTOUR XCT P 27,5" 100mm
- ↗ SHIMANO TY-300, 7Speed
- ↗ SHIMANO TY-300
- ↗ SHIMANO TX-800 3x8Speed
- ↗ EXTEND V-Brake
- ↗ EXTEND Performance Black 42x32x24
- ↗ FSA BB-7420ST JIS, 122.5mm
- ↗ SHIMANO TZ21-7 (14-28)
- ↗ KMC Z51
- ↗ FSA No.10P
- ↗ EXTEND Performance

- EXTEND Performance Riser 660mm
- HERRMANS SHIMANO DC
- ↗ EXTEND Performance, 27.2x350mm
- SELLE ROYAL Mach
- JOYTECH 751/752, 32H
- ↗ REMERX Dragon 584x19, 32H
- FREEDOM Gangster 27,5x2,1"
- FP-971
- 3x7
- 17/19/21
- 15,1 kg

size	17"	19"	21"
code	B19064	B19065	B19066



## SPECIFICATION

- ↗ DEMA Sport 27.5 Alloy 6061-T6 V-Brake
- ↗ SUNTOUR XCT P 27,5" 100mm
- ↗ SHIMANO TY-300, 7Speed
- ↗ SHIMANO TY-300
- ↗ SHIMANO TX-800 3x8Speed
- ↗ EXTEND V-Brake
- ↗ EXTEND Performance Black 42x32x24
- FSA BB-7420ST JIS, 122.5mm
- ↗ SHIMANO TZ21-7 (14-28)
- ↗ KMC Z51
- ↗ FSA No.10P
- ↗ EXTEND Performance

- EXTEND Performance Riser 660mm
- HERRMANS SHIMANO DC
- ↗ EXTEND Performance, 27.2x350mm
- SELLE ROYAL Mach
- JOYTECH 751/752, 32H
- ↗ REMERX Dragon 584x19, 32H
- FREEDOM Gangster 27,5x2,1"
- FP-971
- 3x7
- 17/19
- 15,1 kg

size"	17"	19"
code	B19067	B19068

# 27<sup>5</sup> MTB PEGAS 1.0



## SPECIFICATION

- ↗ DEMA Sport 27.5 Alloy 6061-T6 V-Brake
- ↗ Forgo 565 27.5" 100mm
- ↗ SHIMANO RD-TZ50 GSB
- ↗ SHIMANO TZ30
- ↗ SHIMANO ST-EF41 3x7Speed
- ↗ EXTEND V-Brake
- ↗ EXTEND Performance Black 42x32x24
- ↗ FSA BB-7420ST JIS, 124.5mm
- ↗ SHIMANO TZ21-6 (14-28)
- ↗ KMC Z51
- ↗ FSA No.10P
- ↗ EXTEND Performance

- EXTEND Performance Riser 660mm
- HERRMANS SHIMANO DC
- ↗ EXTEND Performance, 27.2x350mm
- ↗ SELLE ROYAL Mach
- ↗ JOYTECH 433/434, 32H
- ↗ REMERX Dragon 584x19, 32H
- ↗ FREEDOM Gangster 27,5x2,1"
- ↗ FP-906
- ↗ 3x6
- ↗ 17/19/21
- 14,5 kg

size	17"	19"	21"
code	B19069	B19070	B19071



## SPECIFICATION

- ↗ DEMA Sport 27.5 Alloy 6061-T6 V-Brake
- ↗ Forgo 565 27.5" 100mm
- ↗ SHIMANO RD-TZ50 GSB
- ↗ SHIMANO TZ30
- ↗ SHIMANO ST-EF41 3x7Speed
- ↗ EXTEND V-Brake
- ↗ EXTEND Performance Black 42x32x24
- ↗ FSA BB-7420ST JIS, 124.5mm
- ↗ SHIMANO TZ21-6 (14-28)
- ↗ KMC Z51
- ↗ FSA No.10P
- ↗ EXTEND Performance
- EXTEND Performance Riser 660mm
- HERRMANS SHIMANO DC
- ↗ EXTEND Performance, 27.2x350mm
- ↗ SELLE ROYAL Mach
- ↗ JOYTECH 433/434, 32H
- ↗ REMERX Dragon 584x19, 32H
- ↗ FREEDOM Gangster 27,5x2,1"
- ↗ FP-906
- ↗ 3x6
- ↗ 17/19
- ↗ 14,5 kg

size	17"	19"
code	B19072	B19073

# 26 MTB ECCO 1.0



## SPECIFICATION

- ↗ DEMA Sport Hi-Ten
- ↗ Hi-Ten Rigid fork
- ↗ SHIMANO RD-TZ500 GSB
- ↗ SHIMANO TZ30
- ↗ SHIMANO SL-RS36 3x6Speed
- ↗ EXTEND V-Brake
- ↗ EXTEND Performance Black 42x32x24
- ↗ FSA BB-7420ST JIS, 124.5mm
- ↗ SHIMANO TZ20-6 (14-28)
- ↗ KMC Z51
- ↗ XR-Z301
- ↗ EXTEND Performance steel MTS-309-5

- ↘ EXTEND Performance Steel Riser 660mm
- ↘ HERRMANSHIMANO RevoShift DC 90mm
- ↘ EXTEND Performance ST-200, 25.4x350mm
- ↘ SELLE ROYAL Mach
- ↘ JOYTECH 433/434, 32H
- ↘ REMERX Dragon 559x19, 32H
- ↘ FREEDOM Dual 26x2,1"
- ↗ FP-906
- ↗ 3x6
- ↗ 16/18/20
- ↘ 14,9 kg

size	16"	18"	20"
code	B19074	B19075	B19076



## SPECIFICATION

- ↗ DEMA Sport Hi-Ten
- ↗ Hi-Ten Rigid fork
- ↗ SHIMANO RD-TZ500 GSB
- ↗ SHIMANO TZ30
- ↗ SHIMANO SL-RS36 3x6Speed
- ↗ EXTEND V-Brake
- ↗ EXTEND Performance Black 42x32x24
- ↗ FSA BB-7420ST JIS, 124.5mm
- ↗ SHIMANO TZ20-6 (14-28)
- ↗ KMC Z51
- ↗ XR-Z301
- ↗ EXTEND Performance steel MTS-309-5

- EXTEND Performance Steel Riser 660mm
- HERRMANS SHIMANO RevoShift DC 90mm
- EXTEND Performance ST-200, 25.4x350mm
- SELLE ROYAL Mach
- JOYTECH 433/434, 32H
- REMERX Dragon 559x19, 32H
- FREEDOM Dual 26x2,1"
- FP-906
- 3x6
- 16/18
- 14,9 kg

size	16"	18"
code	B19077	B19078

# MTB Lady



**AI** 6061

**DCT**  
DEMA CUSTOM TUBES

**2B**  
DOUBLE BUTTED TUBES

**HT**  
HEAT TREATMENT

**BTP**  
BIAXIAL TUBE PROFIL

**HPC**  
HIGH PERFORMANCE CHAINSTAYS


**STBB**  
STANDARD THREADED BOTTOM BRACKET

**3D-FD**  
3D FORGED DROPPUTS

**HI-TEN**



## GEOMETRY



model	size	A	B	C	D	E	F	G	H	I
RAVENA	16"	400	560	110	445	63	70°	73°	1050	372
	18"	445	580	110	445	63	70°	73°	1082	392
TIGRA	16"	400	560	110	435	45	69°	73°	1065	382
	18"	445	580	110	435	45	69°	73°	1087	397
PEGAS	16"	410	555	120	435	40	70°	73°	1053	380
	18"	460	575	130	435	40	70°	73°	1073	396
ECCO LADY	16"	400	540	130	425	40	70°	73°	1025	366
	18"	440	560	140	425	40	70°	73°	1043	383



**S/16"**

150-165 cm

**M/18"**

160-175 cm

**L/20"**

170-185 cm

# 29" MTB RAVENA 7.0



## SPECIFICATION

- ↗ DEMA RAVENA Straight Top Tube Alloy
- ↗ RED 366 Air Hydra Lock, 100mm
- ↗ SHIMANO ALIVIO M4000SGS 9 speed
- ↗ SHIMANO M2020 2x9 speed TOP SWING
- ↗ SHIMANO M2010 2x9 speed
- ↗ SHIMANO MT200 Hydraulic disc brake
- ↗ SHIMANO MT101 36/22z 2x9 speed
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG200 9 speed 11-36z
- ↗ FSA TEAM ISSUE 9 speed
- ↗ EXTEND Semiintegrated 28,6/44/30mm
- ↗ EXTEND ELITE II 75mm

- EXTEND ELITE II 660mm
- EXTEND silicon grip
- ↗ EXTEND ELITE II 27,2x350mm
- ↗ EXTEND MEMO ERGO
- SHIMANO TX505 QR 9x100mm / TX505 QR 9x135 (Z)
- ↗ ORIN DISC J19ZK 584x19mm
- MICHELIN COUNTRY GRIP'R 29 x 2,1"
- ↗ EXTEND FLAT Alloy
- ↗ 2x9
- ↗ 16/18
- 12,8 kg

size	16"	18"
code	B20123	B20124

## RAVENA 5.0



## SPECIFICATION

- ↗ DEMA Ravena Straight Top Tube Alloy
- ↗ RED 360 Hydraulic Lock, 100mm
- ↗ SHIMANO ALTUS M370SGS 9 speed
- ↗ SHIMANO M2020 2x9 speed TOP SWING
- ↗ SHIMANO M2010 2x9 speed
- ↗ SHIMANO MT200 Hydraulic disc brake
- ↗ SHIMANO MT101 36/22z 2x9 speed
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG200 9 speed 11-36z
- ↗ FSA TEAM ISSUE 9 speed
- ↗ EXTEND Semiintegrated 28,6/44/30mm
- ↗ EXTEND ELITE II 75mm

- EXTEND ELITE II 660mm
- SHIMANO DD00A
- ↗ EXTEND ELITE II 27,2x350mm
- ↗ EXTEND MEMO ERGO
- SHIMANO TX505 QR 9x100mm / TX505 QR 9x135 mm
- ↗ ORIN DISC J19ZK 584x19mm
- FREEDOM DUAL SPORT 29x2,1"
- ↗ EXTEND FLAT PP
- ↗ 2x9
- ↗ 16/18
- 14,8 kg

size	16"	18"
code	B20125	B20126

# 29" MTB RAVENA 3.0



## SPECIFICATION

- ↗ DEMA RAVENA Straight Top Tube Alloy
- ↗ RED 330 Hydraulic Lock, 100mm
- ↗ SHIMANO TX800 8 speed
- ↗ SHIMANO M315 2x8 speed TOP SWING
- ↗ SHIMANO M310 3x8 speed
- ↗ SHIMANO MT200 Hydraulic disc brake
- ↗ SHIMANO M315 36/22z 2x8 speed
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG200 8 speed 12-32z
- ↗ KMC Z7 8 speed
- ↗ EXTEND Semiintegrated 28,6/44/30mm
- ↗ EXTEND ELITE II 75mm

- EXTEND ELITE II 660mm
- SHIMANO DD00A
- ↗ EXTEND ELITE II 27,2x350mm
- ↗ EXTEND SPEED WAY
- SHIMANO TX505 QR 9x100mm / TX505 QR 9x135 (Z)
- ↗ ORIN DISC J19ZK 584x19mm
- FREEDOM DUAL SPORT 29x2,1"
- ↗ EXTEND FLAT PP
- ↗ 2x8
- ↗ 16/18
- 14,9 kg

size	16"	18"
code	B20127	B20128

## RAVENA 1.0

**SPECIFICATION**

- ↗ DEMA Ravenna Straight Top Tube Alloy
- ↗ RED 330 Mechanical Lock, 100mm
- ↗ SHIMANO TX800 8 speed
- ↗ SHIMANO M315 2x8 speed TOP SWING
- ↗ SHIMANO TX800 2x8 speed
- ↗ SHIMANO TX805 mechanical disc
- ↗ SHIMANO M315 36/22z 2x8 speed
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG200 8 speed 12-32z
- ↗ KMC Z7 8 speed
- ↗ EXTEND Semiintegrated 28,6/44/30mm
- ↗ EXTEND ELITE II 75mm
- EXTEND ELITE II 660mm
- SHIMANO DD00A
- ↗ EXTEND ELITE II 27,2x350mm
- ↗ EXTEND SPEED WAY
- SHIMANO TX505 QR 9x100mm / TX505 QR 9x135 mm
- ↗ ORIN DISC J19ZK 584x19mm
- FREEDOM DUAL SPORT 29x2,1"
- ↗ EXTEND FLAT PP
- ↗ 2x8
- ↗ 16/18
- ↗ 15 kg

size	16"	18"
code	B20129	B20130

# 27<sup>5</sup> MTB TIGRA 7.0



## SPECIFICATION

- ↗ DEMA Tigra Disc Alloy
- ↗ RED 330, Remote lock 80mm
- ↗ SHIMANO ALTUS M370SGS 9 speed
- ↗ SHIMANO M2020 2x9 speed TOP SWING
- ↗ SHIMANO M2010 2x9 speed
- ↗ SHIMANO MT200 Hydraulic disc brake
- ↗ SHIMANO MT101 36/22z 2x9 speed
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG200 9 speed 11-36z
- ↗ FSA TEAM ISSUE 9 speed
- ↗ EXTEND Semiintegrated 28,6/44/30mm
- ↗ EXTEND ELITE II 75mm
- ↖ EXTEND ELITE II 680mm
- ↖ SHIMANO DD00A
- ↖ EXTEND ELITE II 27,2x350mm
- ↖ EXTEND MEMO ERGO
- ↖ SHIMANO TX505 QR 9x100mm / TX505 QR 9x135 mm
- ↖ ORIN DISC J19ZK 584x19mm
- ↖ FREEDOM GANGSTER 27,5x2,1" SPORT
- ↖ EXTEND FLAT PP
- ↖ 2x9
- ↖ 16/18
- ↖ 14,4 kg

size	16"	18"
code	B20131	B20132



## SPECIFICATION

- ↗ DEMA Tigra Disc Alloy
- ↗ RED 330 Mechanical Lock, 80mm
- ↗ SHIMANO TX800 8 speed
- ↗ SHIMANO M315 2x8 speed TOP SWING
- ↗ SHIMANO TX800 2x8 speed
- ↗ SHIMANO TX805 mechanical disc
- ↗ SHIMANO M315 36/22z 2x8 speed
- EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG200 8 speed 12-32z
- ↗ KMC Z7 8 speed
- ↗ EXTEND Semiintegrated 28,6/44/30mm
- ↗ EXTEND ELITE II 75mm
- EXTEND ELITE II 680mm
- SHIMANO DD00A
- ↗ EXTEND ELITE II 27,2x350mm
- ↗ EXTEND MEMO ERGO
- SHIMANO TX505 QR 9x100mm / TX505 QR 9x135 mm
- ↗ ORIN DISC J19ZK 584x19mm
- ↗ FREEDOM GANGSTER 27,5x2,1" SPORT
- ↗ EXTEND FLAT PP
- ↗ 2x8
- ↗ 16/18/20
- 14,4 kg

size	16"	18"
code	B20133	B20134

# 27<sup>5</sup> MTB TIGRA 5.0



## SPECIFICATION

- ▷ DEMA Tigra Disc Alloy
- ▷ RED 330 Mechanical Lock, 80mm
- ▷ SHIMANO TX800 8 speed
- ▷ SHIMANO M315 2x8 speed TOP SWING
- ▷ SHIMANO TX800 2x8 speed
- ▷ SHIMANO TX805 mechanical disc
- ▷ SHIMANO M315 36/22z 2x8 speed
- ▷ EXTEND B902 BSA 68x122,5mm
- ▷ SHIMANO HG200 8 speed 12-32z
- ▷ KMC Z7 8 speed
- ▷ EXTEND Semiintegrated 28,6/44/30mm
- ▷ EXTEND ELITE II 75mm
- EXTEND ELITE II 680mm
- SHIMANO DD00A
- ▷ EXTEND ELITE II 27,2x350mm
- ▷ EXTEND MEMO ERGO
- ▷ SHIMANO TX505 QR 9x100mm / TX505 QR 9x135 mm
- ▷ ORIN DISC J19ZK 584x19mm
- ▷ FREEDOM GANGSTER 27,5x2,1" SPORT
- ▷ EXTEND FLAT PP
- ▷ 2x8
- ▷ 16/18
- 14,4 kg

size	16"	18"
code	B20135	B20136



## SPECIFICATION

- ↗ DEMA Tigra Alloy
- ↗ SR SUNTOUR XCE-P 80mm
- ↗ SHIMANO TX800 7/8 speed
- ↗ SHIMANO M315 3x7 speed TOP SWING
- ↗ SHIMANO ST-EF41 3x7 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND Performance Black 42x32x24
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG200 7 speed 12-28z
- ↗ KMC Z51 7 speed
- ↗ EXTEND Semiintegrated 28,6/44/30mm
- ↗ EXTEND Performance 90mm

- EXTEND Performance Riser 25,4x660mm
- SHIMANO DD00A
- ↗ EXTEND ELITE II 27,2x350mm
- EXTEND SPEED WAY
- JOYTECH 751(P)/SHIMANO TY500 (Z)
- ↗ ORIN DISC J19SZR 584x19mm
- FREEDOM GANGSTER 27,5x2,1" SPORT
- EXTEND FLAT PP
- ↗ 3x7
- ↗ 16/18
- 15,0 kg

size	16"	18"
code	B20137	B20138

# 27<sup>5</sup> MTB TIGRA 3.0



## SPECIFICATION

- ↗ DEMA Tigra Alloy
- ↗ SR SUNTOUR XCE-P 80mm
- ↗ SHIMANO TX800 7/8 speed
- ↗ SHIMANO M315 3x7 speed TOP SWING
- ↗ SHIMANO ST-EF41 3x7 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND Performance Black 42x32x24
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG200 7 speed 12-28z
- ↗ KMC Z51 7 speed
- ↗ EXTEND Semiintegrated 28,6/44/30mm
- ↗ EXTEND Performance 90mm

- ↙ EXTEND Performance Riser 25,4x660mm
- ▬ SHIMANO DD00A
- ↗ EXTEND ELITE II 27,2x350mm
- ▬ EXTEND SPEED WAY
- ▬ JOYTECH 751(P)/SHIMANO TY500 (Z)
- ▬ ORIN DISC J19SZR 584x19mm
- ▬ FREEDOM GANGSTER 27,5x2,1" SPORT
- ▬ EXTEND FLAT PP
- ▬ 3x7
- ▬ 16/18/20
- ▬ 15,0 kg

size	16"	18"
code	B20139	B20140



## SPECIFICATION

- ↗ DEMA Tigra Alloy
- ↗ SR SUNTOUR XCE-P 100mm
- ↗ SHIMANO TY300 7 speed
- ↗ SHIMANO TY300
- ↗ SHIMANO ST-EF41 3x7 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND Performance Black 42x32x24
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO TZ500 7 speed 14-28z
- ↗ KMC Z51 7 speed
- ↗ EXTEND Semiintegrated 28,6/44/30mm
- ↗ EXTEND Performance 90mm

- EXTEND Performance Riser 25,4x660mm
- SHIMANO DD00A
- ↗ EXTEND ELITE II 27,2x350mm
- EXTEND STRACE
- JOYTECH 751/752
- ↗ ORIN DISC J19SZR 584x19mm
- FREEDOM GANGSTER 27,5x2,1" SPORT
- EXTEND FLAT PP
- 3x7
- 16/18
- 14,9 kg

size	16"	18"
code	B20141	B20142

# 27<sup>5</sup> MTB TIGRA 1.0



## SPECIFICATION

- ↗ DEMA Tigra Alloy
- ↗ SR SUNTOUR XCE-P 100mm
- ↗ SHIMANO TY300 7 speed
- ↗ SHIMANO TY300
- ↗ SHIMANO ST-EF41 3x7 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND Performance Black 42x32x24
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO TZ500 7 speed 14-28z
- ↗ KMC Z51 7 speed
- ↗ EXTEND Semiintegrated 28,6/44/30mm
- ↗ EXTEND Performance 90mm

- ↖ EXTEND Performance Riser 25,4x660mm
- ↘ SHIMANO DD00A
- ↗ EXTEND ELITE II 27,2x350mm
- ↗ EXTEND STRACE
- ↗ JOYTECH 751/752
- ↗ ORIN DISC J19SZR 584x19mm
- ↔ FREEDOM GANGSTER 27,5x2,1" SPORT
- ↗ EXTEND FLAT PP
- ↙ 3x7
- ↔ 16/18
- ↘ 14,9 kg

size	16"	18"
code	B20143	B20144



# 26 MTB ECCO LADY1.0



## SPECIFICATION

- ↗ Ecco LADY HI-TEN
- ↗ ECCO HI-TEN
- ↗ SHIMANO TZ500
- ↗ SHIMANO TZ500
- ↗ SHIMANO RS35 3x6 speed
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO TZ500 6 speed 14-28z
- ↗ KMC Z51 7 speed
- ↗ XR-Z301
- ↗ EXTEND Performance steel 22,2mm
- ↗ EXTEND Performance Riser 25,4x660mm
- ↗ KRATON 90mm

- ↙ EXTEND Performance ST-200, 25,4x350mm
- ↘ SELLE ROYAL Mach
- ↗ HB-003F / HB-003
- ↗ ACE MT46 559x18mm
- ↗ SY-B003 26x2,1"
- ↗ EXTEND FLAT PP
- ↗ 3x6
- ↗ FP-906
- ↗ 3x6
- ↗ 16/18
- ↘ 15,9 kg

size	16"	18"
code	B20145	B20146



## SPECIFICATION

- ↗ Ecco LADY HI-TEN
- ↗ ECCO HI-TEN
- ↗ SHIMANO TZ500
- ↗ SHIMANO TZ500
- ↗ SHIMANO RS35 3x6 speed
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO TZ500 6 speed 14-28z
- ↗ KMC Z51 7 speed
- ↗ XR-Z301
- ↗ EXTEND Performance steel 22,2mm
- ↗ EXTEND Performance Riser 25,4x660mm
- ↗ KRATON 90mm

- ↗ EXTEND Performance ST-200, 25,4x350mm
- ↗ SELLE ROYAL Mach
- ↗ HB-003F / HB-003
- ↗ ACE MT46 559x18mm
- ↗ SY-B003 26x2,1"
- ↗ EXTEND FLAT PP
- ↗ 3x6
- ↗ FP-906
- ↗ 3x6
- ↗ 16/18
- ↗ 15,9 kg

size	16"	18"
code	B20147	B20148

# CROSS



**AI 6061**

**DCT**  
DEMA CUSTOM TUBES

**O 2B**  
DOUBLE BUTTED TUBES

**HT**  
HEAT TREATMENT

**BTP**  
BIAXIAL TUBE PROFIL

**CSS**  
COMFORTABLE SEAT STAYS


**STBB**  
STANDARD THREADED BOTTOM BRACKET

**3D-FD**  
3D FORGED DROPOUTS


**HI-TEN**



## GEOMETRY



model	size	A	B	C	D	E	F	G	H	I
AVEIRO, MERANO	18"	460	570	125	440	60	71°	73°	1051	382
	20"	510	585	135	440	60	71°	73°	1067	394
LOARA, GAETA	16"	420	555	130	445	55	71°	73°	1045	380
	18"	460	565	140	445	60	71°	73°	1054	386
TRINO LADY	18"	460	570	140	445	60	71°	73°	1056	390



**S/16"**

150-165 cm

**M/18"**

165-180 cm

**M/18"**

170-180 cm

**L/20"**

180-190 cm

# CROSS 28" AVEIRO 9.0



## SPECIFICATION

- ☒ DEMA AVEIRO Alloy FLATMOUNT
- ☒ SR SUNTOUR NCX AIR 700C Hydraulic Speed Lock, 63mm
- ☒ SHIMANO DEORE M6000GS 10 speed
- ☒ SHIMANO T3000 TOP SWING
- ☒ SHIMANO DEORE M6000GS 10 speed
- ☒ SHIMANO MT200 (P) / UR300 flat mount (Z)
- ☒ FSA OMEGA Adventure 46/30z
- ☒ FSA BB-4000 BSA Megaexo
- ☒ SunRace CSMS2 TAX 10 SPEED 11-40z
- ☒ SHIMANO HG54
- ☒ EXTEND Semiintegrated 28,6/44/30mm
- ☒ EXTEND ELITE II 90mm
- ☒ EXTEND ELITE II 700mm
- ☒ EXTEND silicon grip
- ☒ EXTEND ELITE II 27,2x350mm
- ☒ EXTEND MEMO ERGO
- ☒ SHIMANO TX505 QR 9x100mm / TX505 QR 9x135 mm
- ☒ ORIN DISC J19ZK 622x19mm
- ☒ MICHELIN PROTEK 700 x 40C (42-622)
- ☒ EXTEND FLAT Alloy
- ☒ 2x10
- ☒ 18/20
- ☒ 12,9 kg

size	18"	20"
code	B20151	B20152



## SPECIFICATION

- ▷ DEMA AVEIRO Alloy FLATMOUNT
- ▷ SR SUNTOUR NEX HLO, Hydraulic Lock, 63mm
- ▷ SHIMANO ALIVIO M4000SGS 9 speed
- ▷ SHIMANO ALTUS M370 TOP SWING
- ▷ SHIMANO ALTUS M2010 3x10 SPEED
- ▷ SHIMANO MT200 (P) / UR300 flat mount (Z)
- ▷ SR SUNTOUR XCT9 48/36/26z
- ▷ EXTEND B902 BSA 68x113mm
- ▷ SHIMANO HG200 9 speed 11-36z
- ▷ FSA TEAM ISSUE 9 speed
- ▷ EXTEND Semiintegrated 28,6/44/30mm
- ▷ EXTEND ELITE II 75mm
- EXTEND ELITE II 700mm
- EXTEND silicon grip
- ▷ EXTEND ELITE II 31,6x350mm
- ▷ EXTEND MEMO ERGO
- ▷ SHIMANO TX505 QR 9x100mm / TX505 QR 9x135 mm
- ▷ ORIN DISC J19ZK 622x19mm
- ▷ MICHELIN PROTEK 700 x 40C (42-622)
- ▷ EXTEND FLAT PP
- ▷ 3x9
- ▷ 18/20
- 14,4 kg

size	18"	20"
code	B20153	B20154

# CROSS 28" AVEIRO 5.0



## SPECIFICATION

- ↗ DEMA Cross Sport Disc AL6061-T6 Double Butted
- ↗ SUNTOUR NEX 700c, 63mm, Hydraulic Lockout
- ↗ SHIMANO Altus M310 SGS, 8Speed
- ↗ SHIMANO TY710
- ↗ SHIMANO Altus M310 3x8Speed
- ↗ SHIMANO M315 Hydraulic, 160/160mm
- ↗ SHIMANO TY301 48x38x28
- ↗ FSA BB-7420ST JIS 68x122.5mm
- ↗ SHIMANO HG31-8 (11-34)
- ↗ KMC Z7
- ↗ FSA No. 10P Internal
- ↗ EXTEND Elite II OverSize 2018

- ↘ EXTEND Elite II Low Riser 700mm 2018
- ↘ HERRMANS Ergo OXY grips
- ↗ EXTEND Performance 31.6x350mm 2018
- ↗ WTB Rocket 150mm
- ↗ SHIMANO TX-505, 32H
- ↗ WTB SX-19 Disc 700C, 32H
- ↗ WTB AllTerrain 700x37C
- ↗ FP-971
- ↗ 24
- ↗ 18/20
- ↘ 14,1 kg

size	18"	20"
code	B19108	B19109

CROSS  
28  
AVEIRO<sup>2.0</sup>



## SPECIFICATION

- ↗ DEMA AVEIRO Alloy
- ↗ SR SUNTOUR NEX HLO, Hydraulic Lock, 63mm
- ↗ SHIMANO ALTUS M310L 8 speed
- ↗ SHIMANO TY710 TOP SWING
- ↗ SHIMANO TX800 3x8 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ SHIMANO TY301 48/38/28z
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG200 8 speed 12-32z
- ↗ KMC Z7 8 speed
- ↗ EXTEND Semiintegrated 28,6/44/30mm
- ↗ EXTEND Performance 90mm
- EXTEND Performance Riser 25,4x680mm
- SHIMANO OXY DD29
- ↗ EXTEND Performance 27,2x350mm
- EXTEND MEMO ERGO
- JOYTECH J751 / SHIMANO TX500 8/9 speed
- ↗ ORIN DISC J19SZR 622x19mm
- ↗ FREEDOM SCORCHER SPORT 700x40C (42-622)
- ↗ EXTEND FLAT PP
- ↗ 3x8
- ↗ 18/20
- 14,4 kg

size	18"	20"
code	B20161	B20162

# CROSS 28' AVEIRO 1.0



## SPECIFICATION

- ▷ DEMA AVEIRO Alloy
- ▷ SR SUNTOUR NEX HLO, Hydraulic Lock, 63mm
- ▷ SHIMANO TY300 7 speed
- ▷ SHIMANO TY510 TOP SWING
- ▷ SHIMANO ST-EF41 3x7z
- ▷ EXTEND V-BRAKE ALLOY
- ▷ EXTEND 48/38/28z
- ▷ EXTEND B902 BSA 68x122,5mm
- ▷ SHIMANO HG200 7 speed 12-28z
- ▷ KMC Z51 7 speed
- ▷ EXTEND Semiintegrated 28,6/44/30mm
- ▷ EXTEND Performance 90mm

- ▷ EXTEND Performance Riser 25,4x680mm
- ▷ SHIMANO OXY DD29
- ▷ EXTEND Performance 27,2x350mm
- ▷ EXTEND STRACE
- ▷ JOYTECH J751 / SHIMANO TX500 7 speed
- ▷ ORIN DISC J19SZR 622x19mm
- ▷ FREEDOM SCORCHER SPORT 700x40C (42-622)
- ▷ EXTEND FLAT PP
- ▷ 3x7
- ▷ 18/20
- ▷ 14,6 kg

size	18"	20"
code	B20163	B20164

CROSS  
28  
LOARA 5.0



## SPECIFICATION

- ↗ DEMA LOARA Alloy disc
- ↗ SR SUNTOUR NEX HLO, Hydraulic Lock, 63mm
- ↗ SHIMANO ALTUS M310L 8 speed
- ↗ SHIMANO TY710 TOP SWING
- ↗ SHIMANO ALTUS M310 3x8 SPEED
- ↗ SHIMANO MT200 Hydraulic disc brake
- ↗ SHIMANO TY301 48/38/28z
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG200 8 speed 12-32z
- ↗ KMC Z7 8 speed
- ↗ EXTEND
- ↗ EXTEND ELITE II 75mm
- EXTEND ELITE II 660mm
- SHIMANO OXY DD29
- ↗ EXTEND Performance 27,2x350mm
- ↗ EXTEND MEMO ERGO LADY
- SHIMANO TX505 QR 9x100mm / TX505 QR 9x135 mm
- ↗ ORIN DISC J19SZ 622x19mm
- ↗ MICHELIN PROTEK 700 x 40C (42-622)
- ↗ EXTEND FLAT PP
- ↗ 3x8
- ↗ 16/18
- ↗ 14,9 kg

size	16"	18"
code	B20165	B20166

# CROSS 28 LOARA 3.0



## SPECIFICATION

- ↗ DEMA LOARA Alloy disc
- ↗ SR SUNTOUR NEX HLO, Hydraulic Lock, 63mm
- ↗ SHIMANO TX800 7/8 speed
- ↗ SHIMANO TY510 TOP SWING
- ↗ SHIMANO TX800 3x8 speed
- ↗ SHIMANO TX805 mechanical disc
- ↗ SHIMANO TY301 48/38/28z
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG200 8 speed 12-32z
- ↗ KMC Z7 8 speed
- ↗ EXTEND
- ↗ EXTEND ELITE II 75mm
- EXTEND ELITE II 660mm
- SHIMANO OXY DD29
- ↗ EXTEND Performance 27,2x350mm
- EXTEND MEMO ERGO LADY
- SHIMANO TX505 QR 9x100mm / TX505 QR 9x135 mm
- ↗ ORIN DISC J19SZ 622x19mm
- FREEDOM SCORCHER SPORT 700x40C (42-622)
- ↗ EXTEND FLAT PP
- ↗ 3x8
- ↗ 16/18
- 14,6 kg

size	16"	18"
code	B20167	B20168

CROSS  
28  
LOARA 2.0



## SPECIFICATION

- ↗ DEMA LOARA Alloy
- ↗ SR SUNTOUR NEX HLO, Hydraulic Lock, 63mm
- ↗ SHIMANO ALTUS M310L 8 speed
- ↗ SHIMANO TY710 TOP SWING
- ↗ SHIMANO TX800 3x8 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ SHIMANO TY301 48/38/28z
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG200 8 speed 12-32z
- ↗ KMC Z7 8 speed
- ↗ EXTEND
- ↗ EXTEND Performance 90mm
- EXTEND Performance Riser 25,4x660mm
- SHIMANO OXY DD29
- ↗ EXTEND Performance 27,2x350mm
- EXTEND TOUR
- JOYTECH J751 / SHIMANO TX500 8/9 speed
- ↗ ORIN J19SZR 622x19mm
- ↗ FREEDOM SCORCHER SPORT 700x40C (42-622)
- ↗ EXTEND FLAT PP
- ↗ 3x8
- ↗ 16/18
- 14,3 kg

size	16"	18"
code	B20169	B20170

# CROSS 28 LOARA 1.0



## SPECIFICATION

- ↗ DEMA LOARA Alloy
- ↗ SR SUNTOUR NEX 63mm
- ↗ SHIMANO TY300 7 speed
- ↗ SHIMANO TY510 TOP SWING
- ↗ SHIMANO ST-EF41 3x7z
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND 48/38/28z
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG200 7 speed 12-28z
- ↗ KMC Z51 7 speed
- ↗ EXTEND
- ↗ EXTEND Performance 90mm

- EXTEND Performance Riser 25,4x660mm
- SHIMANO OXY DD29
- ↗ EXTEND Performance 27,2x350mm
- ↗ EXTEND STRACE
- ↗ JOYTECH J751 (P) / SHIMANO TX500 7 speed (Z)
- ↗ ORIN J19SZR 622x19mm
- ↗ FREEDOM SCORCHER SPORT 700x40C (42-622)
- ↗ EXTEND FLAT PP
- ↗ 3x7
- ↗ 16/18
- ↗ 14,2 kg

size	16"	18"
code	B20171	B20172



## SPECIFICATION

- ↗ DEMA TRINO Lady
- ↗ Trino LADY steel
- ↗ SHIMANO TZ500 6 speed
- ↗ SHIMANO TY510 TOP SWING
- ↗ SHIMANO REVO RS35 3x6 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND 48/38/28z
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO TZ500 6 speed
- ↗ KMC Z51 6 speed
- ↗ EXTEND XR-Z301
- ↗ EXTEND Performance steel 22,2mm

- EXTEND Performance Riser 25,4x660mm
- SHIMANO OXY DD29
- EXTEND Performance ST-200, 25.4x350mm
- EXTEND FORMIC
- JOYTECH 433/434
- ACE MT-46 622x18mm
- FREEDOM SCORCHER SPORT 700x40C (42-622)
- EXTEND FLAT PP
- 3x6
- 16/18
- 15,2 kg

size"	18"
code	B20173



TOUR

TOUR

AI 6061

DCT  
DEMA CUSTOM TUBES

HT  
HEAT TREATMENT

CSS  
COMFORTABLE SEAT STAYS


STBB  
STANDARD THREADED BOTTOM BRACKET

3D-FD  
3D FORGED DROPOUTS

HI-TEN



## GEOMETRY



model	size	A	B	C	D	E	F	G	H	I
AROSA	19"	480	580	140	450	60	71°	74°	1083	403
	21"	530	595	140	450	60	71°	74°	1098	418
AROSA Lady	18"	480	570	160	450	60	71°	74°	1084	388
LUGO Lady	18"	460	563	150	445	60	70,5°	73°	1059	385
ORION Lady	18"	440	560	150	425	35	70°	73°	1049	398

# TOUR 28 AROSA 1.0



## SPECIFICATION

- |                                   |                                      |
|-----------------------------------|--------------------------------------|
| ↗ DEMA Alloy 6061-T6 Tour 2018    | ↘ EXTEND Ergonomic Touring, 610mm    |
| ↗ SUNTOUR CR-7V, 700c, 40mm       | ↘ HERRMANS PrimErgo Grips            |
| ↗ SHIMANO TY300                   | ↗ EXTEND Performance, 27.2x350mm     |
| ↗ SHIMANO TY510                   | ↗ SELLE ROYAL Wave Men               |
| ↗ SHIMANO ST-EF51 3x7Speed        | ↗ JOYTECH 751/752, 36H               |
| ↗ EXTEND V-Brake                  | ↗ DEMA Strike Tour 700C V-Brake, 36H |
| ↗ SHIMANO TY301 48x38x28          | ↗ MITAS Hook Classic, 700x35C        |
| ↗ FSA BB-7420ST JIS, 122.5mm      | ↗ FP-971                             |
| ↗ SHIMANO TZ21-7 (14-28)          | ↗ 21                                 |
| ↗ KMC Z7                          | ↗ 19                                 |
| ↗ FSA TH-807ST                    | ↗ 16,0 kg                            |
| ↗ EXTEND Touring Adjustable, 90mm |                                      |

size  
code

19"  
B19127



## SPECIFICATION

- ↗ DEMA AROSA G Lady
- ↗ SR SUNTOUR CR-7V A 700C
- ↗ SHIMANO TY300 7 speed
- ↗ SHIMANO TY510 TOP SWING
- ↗ SHIMANO ST-EF41 3x7z
- ↗ EXTEND V-BRAKE ALLOY
- ↗ SHIMANO TY301 48/38/28z
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG200 7 speed 12-28z
- ↗ KMC Z51 7 speed
- ↗ EXTEND závitové 28,6/44/30mm
- ↗ EXTEND Performance 25,4mm

- ↖ EXTEND Riser 25,4x610mm
- ↘ ERGO
- ↖ EXTEND Performance 27,2x350mm
- ↗ EXTEND STRACE
- ↗ JOYTECH J751 (P) / SHIMANO TX500 7 speed (Z)
- ↗ ORIN J19SZR 622x19mm
- ↗ FREEDOM SCORCHER SPORT 700x40C (42-622)
- ↗ EXTEND FLAT PP
- ↗ 3x7
- ↗ 19
- ↗ 16,4 kg

size	19"	21"
code	B20177	B20178

TOUR  
28 AROSA LADY1.0



## SPECIFICATION

- ↗ DEMA AROSA L ALLOY
- ↗ SR SUNTOUR CR-7V A 700C
- ↗ SHIMANO TY300 7 speed
- ↗ SHIMANO TY510 TOP SWING
- ↗ SHIMANO ST-EF41 3x7z
- ↗ EXTEND V-BRAKE ALLOY
- ↗ SHIMANO TY301 48/38/28z
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG200 7 speed 12-28z
- ↗ KMC Z51 7 speed
- ↗ EXTEND závitové 28,6/44/30mm
- ↗ EXTEND Performance 25,4mm

- EXTEND Riser 25,4x610mm
- ERGO
- ↗ EXTEND Performance 27,2x350mm
- EXTEND STRACE
- JOYTECH J751 (P) / SHIMANO TX500 7 speed (Z)
- ↗ ORIN J19SZR 622x19mm
- ↗ FREEDOM SCORCHER SPORT 700x40C (42-622)
- ↗ EXTEND FLAT PP
- ↗ 3x7
- ↗ 18
- ↗ 16,9 kg

size  
code

18"  
B20180



## SPECIFICATION

- ↗ DEMA AROSA L Alloy
- ↗ SR SUNTOUR CR-7V A 700C
- ↗ SHIMANO TY300 7 speed
- ↗ SHIMANO TY510 TOP SWING
- ↗ SHIMANO ST-EF41 3x7z
- ↗ EXTEND V-BRAKE ALLOY
- ↗ SHIMANO TY301 48/38/28z
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG200 7 speed 12-28z
- ↗ KMC Z51 7 speed
- ↗ EXTEND závitové 28,6/44/30mm
- ↗ EXTEND Performance 25,4mm

- EXTEND Riser 25,4x610mm
- ERGO
- ↗ EXTEND Performance 27,2x350mm
- EXTEND STRACE
- JOYTECH J751 (P) / SHIMANO TX500 7 speed (Z)
- ↗ ORIN J19SZR 622x19mm
- ↗ FREEDOM SCORCHER SPORT 700x40C (42-622)
- ↗ EXTEND FLAT PP
- ↗ 3x7
- ↗ 18
- ↗ 16,9 kg

size  
code

18"  
B20181

TOUR  
28 LUGO LADY



## SPECIFICATION

- ↗ DEMA LUGO L
- ↗ LUGO LADY steel
- ↗ SHIMANO TZ500 6 speed
- ↗ SHIMANO TZ500
- ↗ SHIMANO REVO RS35 3x6 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND 48/38/28z
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO TZ500 6 speed
- ↗ KMC Z51 6 speed
- ↗ EXTEND XR-Z301
- ↗ EXTEND Performance 25,4mm

- ↘ EXTEND Riser 25,4x610mm
- ↘ ERGO
- ↘ EXTEND Performance ST-200, 25,4x350mm
- ↘ EXTEND STRACE
- ↘ JOYTECH 433/434
- ↘ ACE MT-46 622x18mm
- ↘ FREEDOM WEDGE SPORT 700x35C
- ↘ EXTEND FLAT PP
- ↙ 3x6
- ↙ 18
- ↙ 17,2 kg

size 18"  
code B20182



## SPECIFICATION

- ↗ DEMA LUGO L
- ↗ LUGO LADY steel
- ↗ SHIMANO TZ500 6 speed
- ↗ SHIMANO TZ500
- ↗ SHIMANO REVO RS35 3x6 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND 48/38/28z
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO TZ500 6 speed
- ↗ KMC Z51 6 speed
- ↗ EXTEND XR-Z301
- ↗ EXTEND Performance 25,4mm

- EXTEND Riser 25,4x610mm
- ERGO
- ↗ EXTEND Performance ST-200, 25,4x350mm
- ↗ EXTEND STRACE
- JOYTECH 433/434
- ↗ ACE MT-46 622x18mm
- ↗ FREEDOM WEDGE SPORT 700x35C
- ↗ EXTEND FLAT PP
- ↗ 3x6
- ↗ 18
- ↗ 17,2 kg

size	18"
code	B20183

TOUR  
26 ORION LADY



## SPECIFICATION

- ↗ DEMA ORION L
- ↗ ORION LADY steel
- ↗ SHIMANO TZ500 6 speed
- ↗ SHIMANO TZ500
- ↗ SHIMANO REVO RS35 3x6 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND 48/38/28z
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO TZ500 6 speed
- ↗ KMC Z51 6 speed
- ↗ EXTEND XR-Z301
- ↗ EXTEND Performance 25,4mm

- EXTEND Riser 25,4x610mm
- ERGO
- ↗ EXTEND Performance ST-200, 25.4x350mm
- EXTEND STRACE
- JOYTECH 433/434
- ↗ ACE MT-46 559x18mm
- FREEDOM ROADRUNNER SPORT 26x1,5"
- EXTEND FLAT PP
- 3x6
- 18
- 16,3 kg

size  
code

18"  
B20184



## SPECIFICATION

- ↗ DEMA ORION L
- ↗ ORION LADY steel
- ↗ SHIMANO TZ500 6 speed
- ↗ SHIMANO TZ500
- ↗ SHIMANO REVO RS35 3x6 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND 48/38/28z
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO TZ500 6 speed
- ↗ KMC Z51 6 speed
- ↗ EXTEND XR-Z301
- ↗ EXTEND Performance 25,4mm

- ↗ EXTEND Riser 25,4x610mm
- ↗ ERGO
- ↗ EXTEND Performance ST-200, 25.4x350mm
- ↗ EXTEND STRACE
- ↗ JOYTECH 433/434
- ↗ ACE MT-46 559x18mm
- ↗ FREEDOM ROADRUNNER SPORT 26x1,5"
- ↗ EXTEND FLAT PP
- ↗ 3x6
- ↗ 18
- ↗ 16,3 kg

size	18"
code	B20185

# CITY



**AI** 6061

**HT**  
HEAT TREATMENT

**DCT**  
DEMA CUSTOM TUBES

**CSS**  
COMFORTABLE SEAT STAYS

**STBB**  
STANDARD THREADED  
BOTTOM BRACKET


**3D-FD**  
3D FORGED DROPOUTS

**HI-TEN**

CITY



## GEOMETRY



model	size	A	B	C	D	E	F	G	H	I
CLARICE, VENICE	UNI	440	580	165	450	40	70°	72°	1083	400
SILENCE	UNI	440	595	165	440	55	68°	70°	1130	412
MODET	UNI	432	565	150	420	25	70°	69°	1015	368

# 26 CITY CLARICE 3sp



## SPECIFICATION

- DEMA City Alloy 26"
- DEMA Hi-Ten City 26"
- SHIMANO Nexus 3R
- SHIMANO Nexus Revoshift 3R
- EXTEND V-Brake
- EXTEND City, 38t
- THUN Cartridge Axle
- SHIMANO (20)
- KMC Z410
- XR-Z301
- DEMA CTB HA-C40

- DEMA CTB Alloy TR-28, 630mm
- HERRMANS Ergo Grips
- EXTEND ST-200, 28.6x350mm
- SELLE ROYAL Rumba
- JOYTECH 751/ SHIMANO Nexus 3R 36H
- DEMA Strike Tour 559C V-Brake, 32H
- MITAS Flash 26x1.50 Black Classic
- FP-812
- 3
- UNI
- 15,0 kg

size	UNI
code	B19133



## SPECIFICATION

- DEMA City Hi-Ten 26"
- DEMA Hi-Ten City 26"
- SHIMANO Nexus 3R
- SHIMANO Nexus Revoshift 3R
- EXTEND V-Brake
- EXTEND City, 38t
- THUN Cartridge Axle
- SHIMANO (20)
- KMC Z410
- XR-Z301
- DEMA CTB HA-C40
- DEMA CTB Alloy TR-28, 630mm
- HERRMANS Ergo Grips
- EXTEND ST-200, 28.6x350mm
- SELLE ROYAL Rumba
- JOYTECH 301/ SHIMANO Nexus 3R 36H
- DEMA Strike Tour 559C V-Brake, 32H
- MITAS Flash 26x1.50 Black Classic
- P-812
- 3
- UNI
- 16,5 kg

size	UNI
code	B19134

# CITY 26 VENICE



## SPECIFICATION

- ↗ DEMA City Hi-Ten 26"
- ↗ DEMA Hi-Ten City 26"
- ↗ EXTEND V-Brake
- ↗ EXTEND City, 38t
- ↗ THUN Cartridge Axle
- ↗ SHIMANO (20)
- ↗ KMC Z410
- ↗ XR-Z301
- ↗ DEMA CTB HA-C40
- ↗ DEMA CTB Alloy TR-28, 630mm
- ↗ HERRMANS Ergo Grips
- ↗ EXTEND ST-200, 28.6x350mm

- ↙ SELLE ROYAL Rumba
- ↙ JOYTECH 301/ VELOSTEEL 36H
- ↙ DEMA Strike Tour 559C V-Brake, 32H
- ↙ MITAS Flash 26x1.50 Black Classic
- ↙ FP-812
- ↙ 1
- ↙ UNI
- ↙ 16,4 kg

size	UNI
code	B19135



## SPECIFICATION

- ↗ DEMA City Hi-Ten 26"
- ↗ DEMA Hi-Ten City 26"
- ↗ EXTEND V-Brake
- ↗ EXTEND City, 38t
- THUN Cartridge Axle
- SHIMANO (20)
- KMC Z410
- XR-Z301
- DEMA CTB HA-C40
- DEMA CTB Alloy TR-28, 630mm

- HERRMANS Ergo Grips
- ↗ EXTEND ST-200, 28.6x350mm
- SELLE ROYAL Rumba
- JOYTECH 301/ VELOSTEEL 36H
- DEMA Strike Tour 559C V-Brake, 32H
- MITAS Flash 26x1.50 Black Classic
- FP-812
- 1
- UNI
- 16,4 kg

size	UNI
code	B19136

# 26 CITY SILENCE 3sp



## SPECIFICATION

- ↗ DEMA SILENCE 3S
- ↗ SILENCE steel
- ↗ SHIMANO NEXUS 3 speed REVO
- ↗ SHIMANO NEXUS 3 speed REVO
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND SINGLE 170mm 38z
- ↗ zapúzdrené ložiskové 123mm
- ↗ SHIMANO NEXUS 20z
- ↗ KMC Z410 1/2x1/8" single speed
- ↗ EXTEND XR-Z301
- ↗ CITY ALLOY 22,2mm

- ↘ CITY 25,4x595mm rise 66mm
- ↘ ERGO
- ↘ EXTEND 28,6x350mm
- ↘ EXTEND CITY
- ↘ JOYTECH 433 / SHIMANO NEXUS 3 speed
- ↘ ORIN J19SZR 559x19mm
- ↘ FREEDOM ROADRUNNER SPORT 26x1,5"
- ↘ EXTEND FLAT PP
- ↗ 1x3
- ↗ UNI
- ↗ 17,8 kg

size

UNI

code

B20193



## SPECIFICATION

- ↗ DEMA SILENCE SINGLE
- ↗ SILENCE steel
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND SINGLE 170mm 38z
- zapúzdrené ložiskové 123mm
- ↗ KMC Z410 1/2x1/8" single speed
- ↗ EXTEND XR-Z301
- ↗ CITY ALLOY 22,2mm
- CITY 25,4x595mm rise 66mm
- ERGO
- ↗ EXTEND 28,6x350mm
- ↘ EXTEND CITY
- ↗ JOYTECH 433 / VELOSTEEL Torpedo single speed
- ↗ ORIN J19SZR 559x19mm
- ↗ FREEDOM ROADRUNNER SPORT 26x1,5"
- ↗ EXTEND FLAT PP
- ↗ 1
- ↗ UNI
- ↘ 17,3 kg

size	UNI
code	B20194

CITY

24"

MODET 3sp 24x1<sup>3</sup>/8



## SPECIFICATION

- ↗ DEMA Modet Hi-Ten 24"
- ↗ DEMA Hi-Ten City 24"
- ↗ MODET Steel
- THUN Cartridge Axle
- KMC Z410
- EXTEND City Steel
- EXTEND City Comfort, 560mm
- HERRMANS Ergo Grips
- ↗ EXTEND ST-200, 28.6x350mm

- SELLE ROYAL w/ elastomers
- JOYTECH 301/ VELOSTEEL 36H
- ↗ REMERX RMX-20, 24"
- MITAS Hook Classic 24x1-3/8"
- FP
- 1
- UNI
- 15 kg

size  
code

UNI  
B19139

CITY  
24

# MODET<sub>24x1 3/8</sub>



## SPECIFICATION

- ↗ DEMA Modet Hi-Ten 24"
- ↗ DEMA Hi-Ten City 24"
- ↗ MODET Steel
- THUN Cartridge Axle
- ↗ KMC Z410
- ↗ EXTEND City Steel
- EXTEND City Comfort, 560mm
- HERRMANS Ergo Grips
- ↗ EXTEND ST-200, 28.6x350mm

- SELLE ROYAL w/ elastomers
- JOYTECH 301/ VELOSTEEL 36H
- ↗ REMERX RMX-20, 24"
- MITAS Hook Classic 24x1-3/8"
- FP
- 1
- UNI
- 14,4 kg

size	UNI
code	B19140

# CITY 24 MODET<sub>24x1<sup>3/8</sup></sub>



## SPECIFICATION

- ↗ DEMA Modet Hi-Ten 24"
- ↗ DEMA Hi-Ten City 24"
- ↗ MODET Steel
- THUN Cartridge Axle
- KMC Z410
- EXTEND City Steel
- EXTEND City Comfort, 560mm
- HERRMANS Ergo Grips
- ↗ EXTEND ST-200, 28.6x350mm
- ↘ SELLE ROYAL w/ elastomers
- ↗ JOYTECH 301/ VELOSTEEL 36H
- ↗ REMERX RMX-20, 24"
- MITAS Hook Classic 24x1-3/8"
- ↗ FP
- ↗ 1
- ↗ UNI
- ↘ 14,4 kg

size	UNI
code	B19141

CITY  
24

# MODET<sub>24x1 3/8</sub>



## SPECIFICATION

- ↗ DEMA Modet Hi-Ten 24"
- ↗ DEMA Hi-Ten City 24"
- ↗ MODET Steel
- THUN Cartridge Axle
- KMC Z410
- EXTEND City Steel
- EXTEND City Comfort, 560mm
- HERRMANS Ergo Grips
- ↗ EXTEND ST-200, 28.6x350mm

- SELLE ROYAL w/ elastomers
- JOYTECH 301/ VELOSTEEL 36H
- REMERX RMX-20, 24"
- MITAS Hook Classic 24x1-3/8"
- FP
- 1
- UNI
- 14,4 kg

size	UNI
code	B19142

# CITY 24 MODET<sub>24x1,75</sub>



## SPECIFICATION

- ↗ DEMA Modet Hi-Ten 24"
- ↗ DEMA Hi-Ten City 24"
- ↗ MODET Steel
- ➡ THUN Cartridge Axle
- ↗ KMC Z410
- ➡ EXTEND City Steel
- ➡ EXTEND City Comfort, 560mm
- ➡ HERRMANS Ergo Grips
- ↗ EXTEND ST-200, 28.6x350mm

- ↘ SELLE ROYAL w/ elastomers
- ➡ JOYTECH 301/ VELOSTEEL 36H
- ↗ REMERX RMX-20, 24"
- ➡ MITAS Hook Classic 24x1,75"
- ➡ FP
- ➡ 1
- ➡ UNI
- ➡ 14,5 kg

size  
code

UNI  
B19143

CITY  
24

# MODET<sub>24x1,75</sub>



## SPECIFICATION

- ↗ DEMA Modet Hi-Ten 24"
- ↗ DEMA Hi-Ten City 24"
- ↗ MODET Steel
- ➡ THUN Cartridge Axle
- ↗ KMC Z410
- ➡ EXTEND City Steel
- ➡ EXTEND City Comfort, 560mm
- ➡ HERRMANS Ergo Grips
- ↗ EXTEND ST-200, 28.6x350mm

- ↘ SELLE ROYAL w/ elastomers
- ➡ JOYTECH 301 / VELOSTEEL 36H
- ↗ REMERX RMX-20, 24"
- ➡ MITAS Hook Classic 24x1-3/8"
- ➡ FP
- ➡ 1
- ➡ UNI
- ➡ 14,5 kg

size	UNI
code	B19144

# CITY Folding



CITY

AI 6061

HT  
HEAT TREATMENT

DCT  
DEMA CUSTOM TUBES


CSS  
COMFORTABLE SEAT STAYS

STBB  
STANDARD THREADED BOTTOM BRACKET

3D-FD  
3D FORGED DROPOUTS



## GEOMETRY



size	A	B	C	D	E	F	G	H	I
UNI	305	570	100	396	38	73°	76°	1010	435





## SPECIFICATION

- ▷ DEMA Folding 20" Alloy 6061-T6 2018
- ▷ DEMA Hi-Ten City 20"
- ▷ SHIMANO FT35
- ▷ SHIMANO SL-RS35 7Speed
- ▷ EXTEND V-Brake
- ▷ EXTEND 48t Alloy
- ▷ Cartridge JIS
- ▷ SHIMANO HG20-7 (12-28)
- ▷ NECO H185
- ▷ KS02 Alloy Folding
- ▷ T Straight Alloy 580mm

- Ergo Grips
- ▷ EXTEND SP-105 33.9x530mm
- ▷ EXTEND F7
- ▷ KT A15FQR/AYER Alloy 28H
- ▷ DA-17D, Double Wall 20", 28H
- ▷ KENDA K193 20x1.75"
- ▷ CS-862 Folding
- ▷ 7
- UNI
- 13,3 kg

size	UNI
code	B19145



## SPECIFICATION

- ↗ DEMA Folding 20" Alloy 6061-T6 2018
- ↗ DEMA Hi-Ten City 20"
- ↗ SHIMANO FT35
- ↗ SHIMANO SL-RS35 7Speed
- ↗ EXTEND V-Brake
- ↗ EXTEND 48t Alloy
- ↗ Cartridge JIS
- ↗ SHIMANO HG20-7 (12-28)
- ↗ NECO H185
- ↗ KS02 Alloy Folding
- ↗ T Straight Alloy 580mm

- Ergo Grips
- ↗ EXTEND SP-105 33.9x530mm
- ↗ EXTEND F7
- ↗ KT A15FQR/AYER Alloy 28H
- ↗ DA-17D, Double Wall 20", 28H
- ↗ KENDA K193 20x1.75"
- ↗ CS-862 Folding
- ↗ 7
- UNI
- 13,3 kg

size	UNI
code	B19146


# JUNIOR



JUNIOR




## GEOMETRY



model

	size	A	B	C	D	E	F	G	H	I
RACER 26, ROCKIE 26	14"	330	525	110	425	40	70°	73°	997	350
VITTA 26	14"	330	525	130	425	40	70°	73°	997	360
Pegas 24	12"	300	505	125	400	30	70°	73°	959	350
ROCKIE 24, RACER 24	12"	300	515	100	400	30	70°	73°	963	350
ISEO 24	12"	300	515	100	400	30	70°	73°	969	350
Racer 20	10"	265	455	120	360	30	71°	72,5°	851	314
Rockie 20	10"	265	455	100	360	30	71°	72,5°	860	314
AGGY 20, VEGA 20	10"	265	440	120	360	20	72°	73,5°	849	314
ROCKIE 16, ELLA 16, DROBEC 16	8"	215	375	100	287	-5	71°	72°	696	258
FUNNY 12	7"	170	300	70	230	-5	71°	73°	565	236



12"

2-4 year  
90-105 cm

16"

4-6 year  
100-120 cm

20"

6-9 year  
115-135 cm

24"

9-12 year  
130-145 cm

26"

12< year  
145< cm

# 26 JUNIOR REBEL



## SPECIFICATION

- ↗ DEMA REBEL 26 Alloy
- ↗ RED 366 Air 26" Hydra Lock, 80mm
- ↗ SUNRACE JUVENILE 8 speed
- ↗ SUNRACE JUVENILE 8 speed
- ↗ SHIMANO MT200 Hydraulic disc brake
- ↗ SUNRACE JUVENILE M43T 152mm 30z NW  
zapúzdrené ložiskové 123mm
- ↗ SUNRACE 11-40z 8 speed
- ↗ KMC Z7 8 speed
- ↗ EXTEND Semiintegrated 28,6/44/30mm
- ↗ EXTEND Performance 60mm
- ↗ EXTEND Performance Riser 25,4x660mm
- █ SHIMANO 88A
- ↗ EXTEND Performance 27,2x350mm
- ↗ EXTEND STRACE
- ↗ SHIMANO TX505 QR 9x100mm /  
TX505 QR 9x135 mm
- ↗ ORIN J19SZ 559x19mm
- ↗ FREEDOM DUAL SPORT 26x2,1"
- ↗ EXTEND FLAT PP
- ↗ 1x8
- █ 13
- █ 13,4 kg

size UNI  
code B20202

JUNIOR  
ROCKET 26



## SPECIFICATION

- ↗ DEMA Rocket 26 Alloy
- ↗ RED 330 26" Mechanical Lock, 80mm
- ↗ SHIMANO TY300 7 speed
- ↗ SHIMANO TZ500
- ↗ SHIMANO REVO RS35 3x7 speed
- ↗ SHIMANO TX805 mechanical disc
- ↗ EXTEND 152mm 42/34/24z
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG200 7 speed 12-28z
- ↗ KMC Z51 7 speed
- ↗ EXTEND Semiintegrated 28,6/44/30mm
- ↗ EXTEND Performance 60mm

- EXTEND Performance Riser 25,4x660mm
- SHIMANO 88A
- ↗ EXTEND Performance 27,2x350mm
- EXTEND STRACE
- SHIMANO TX505 QR 9x100mm /  
TY505 QR 9x135 mm
- ↗ ORIN J19SZ 559x19mm
- ↗ FREEDOM DUAL SPORT 26x2,1"
- ↗ EXTEND FLAT PP
- ↗ 3x7
- ↗ 13
- ↗ 14,3 kg

size  
code

13  
B20203

# JUNIOR 26 RACER



## SPECIFICATION

- ↗ DEMA Racer 26 Alloy
- ↗ RED 330 26" 80mm
- ↗ SHIMANO TY300 7 speed
- ↗ SHIMANO TZ500
- ↗ SHIMANO REVO RS35 3x7 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND 152mm 42/34/24z
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG200 7 speed 12-28z
- ↗ KMC Z51 7 speed
- ↗ EXTEND Semiintegrated 28,6/44/30mm
- ↗ EXTEND Performance 60mm

- EXTEND Performance Riser 25,4x660mm
- SHIMANO 88A
- ↗ EXTEND Performance 27,2x350mm
- ↗ EXTEND STRACE
- JOYTECH J751 / SHIMANO TX500 7 speed
- ↗ ORIN J19SZR 559x19mm
- ↗ FREEDOM DUAL SPORT 26x2,1"
- ↗ EXTEND FLAT PP
- ↗ 3x7
- ↗ 13
- ↗ 13,8 kg

size  
code

13  
B20204

JUNIOR  
RACER 26



## SPECIFICATION

- ↗ DEMA Racer 26 Alloy
- ↗ RED 330 26" 80mm
- ↗ SHIMANO TY300 7 speed
- ↗ SHIMANO TZ500
- ↗ SHIMANO REVO RS35 3x7 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND 152mm 42/34/24z
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG200 7 speed 12-28z
- ↗ KMC Z51 7 speed
- ↗ EXTEND Semiintegrated 28,6/44/30mm
- ↗ EXTEND Performance 60mm
- ↖ EXTEND Performance Riser 25,4x660mm
- ↘ SHIMANO 88A
- ↖ EXTEND Performance 27,2x350mm
- ↗ EXTEND STRACE
- ↗ JOYTECH J751 / SHIMANO TX500 7 speed
- ↗ ORIN J19SZR 559x19mm
- ↗ FREEDOM DUAL SPORT 26x2,1"
- ↗ EXTEND FLAT PP
- ↗ 3x7
- ↗ 13
- ↘ 13,8 kg

size	UNI
code	B20205

# JUNIOR 26 RACER



## SPECIFICATION

- ↗ DEMA Racer 26 Alloy
- ↗ RED 330 26" 80mm
- ↗ SHIMANO TY300 7 speed
- ↗ SHIMANO TZ500
- ↗ SHIMANO REVO RS35 3x7 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND 152mm 42/34/24z
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG200 7 speed 12-28z
- ↗ KMC Z51 7 speed
- ↗ EXTEND Semiintegrated 28,6/44/30mm
- ↗ EXTEND Performance 60mm

- EXTEND Performance Riser 25,4x660mm
- SHIMANO 88A
- ↗ EXTEND Performance 27,2x350mm
- ↗ EXTEND STRACE
- ↗ JOYTECH J751 / SHIMANO TX500 7 speed
- ↗ ORIN J19SZR 559x19mm
- ↗ FREEDOM DUAL SPORT 26x2,1"
- ↗ EXTEND FLAT PP
- ↗ 3x7
- ↗ 13
- ↗ 13,8 kg

size  
code

UNI  
B20206

JUNIOR  
ROCKIE 26



## SPECIFICATION

- ↗ DEMA Rockie 26 Hi-Ten
- ↗ SR SUNTOUR XCT 26" 80mm
- ↗ SHIMANO TY300 7 speed
- ↗ SHIMANO TZ500
- ↗ SHIMANO REVO RS35 3x7 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND 170mm 42/34/24z
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO TZ500 7 speed
- ↗ KMC Z51 7 speed
- ↗ EXTEND XR-Z301
- ↗ EXTEND Performance steel 22,2mm

- EXTEND Performance Riser 25,4x660mm
- KRATON 90mm
- ↗ EXTEND Performance ST-200, 25,4x350mm
- EXTEND STRACE
- SF-A202F / SF-A201R
- ↗ ACE MT-46 559x18mm
- ↗ SY-B003 26x2,1"
- ↗ EXTEND FLAT PP
- ↗ 3x7
- ↗ 14
- ↗ 16,4 kg

size	UNI
code	B20207

# 26 JUNIOR VITTA



## SPECIFICATION

- ↗ DEMA Vitta 26 Hi-Ten
- ↗ DEMA Vitta 26 Hi-Ten
- ↗ SHIMANO TZ500 6 speed
- ↗ SHIMANO TZ500
- ↗ SHIMANO REVO RS35 3x6 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND 170mm 42/34/24z
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO TZ500 6 speed
- ↗ KMC Z6 6 speed
- ↗ EXTEND XR-Z301
- ↗ EXTEND Performance steel 22,2mm

- EXTEND Performance Riser 25,4x580mm
- KRATON 90mm
- ↗ EXTEND Performance ST-200, 25.4x350mm
- ↗ EXTEND STRACE
- ↗ SF-A202F / SF-A201R
- ↗ ACE MT-46 559x18mm
- ↗ SY-B003 26x2,1"
- ↗ EXTEND FLAT PP
- ↗ 3x6
- ↗ 13
- ↗ 14,8 kg

size  
code

UNI  
B20208



## SPECIFICATION

- ↗ DEMA Vitta 26 Hi-Ten
- ↗ DEMA Vitta 26 Hi-Ten
- ↗ SHIMANO TZ500 6 speed
- ↗ SHIMANO TZ500
- ↗ SHIMANO REVO RS35 3x6 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND 170mm 42/34/24z
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO TZ500 6 speed
- ↗ KMC Z6 6 speed
- ↗ EXTEND XR-Z301
- ↗ EXTEND Performance steel 22,2mm

- EXTEND Performance Riser 25,4x580mm
- KRATON 90mm
- ↗ EXTEND Performance ST-200, 25.4x350mm
- EXTEND STRACE
- SF-A202F / SF-A201R
- ↗ ACE MT-46 559x18mm
- SY-B003 26x2,1"
- EXTEND FLAT PP
- ↗ 3x6
- ↗ 13
- 14,8 kg

size	UNI
code	B20209

# JUNIOR 24" REBEL



## SPECIFICATION

- DEMA Racer 24" Alloy 6061-T6 2018
- ↗ SR SUNTOUR XCT 24" 50mm
- ↗ SUNRACE JUVENILE 8 speed
- ↗ SUNRACE JUVENILE 8 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ SUNRACE JUVENILE M43T 152mm 30z NW
- zapúzdrené ložiskové 123mm
- ↗ SUNRACE 11-40z 8 speed
- ↗ KMC Z7 8 speed
- ↗ EXTEND Semiintegrated 28,6/44/30mm
- ↗ EXTEND Performance 60mm
- EXTEND Performance Riser 25,4x620mm
- SHIMANO 88A
- ↗ EXTEND Performance 27,2x350mm
- ↗ EXTEND HIGHWAY
- ↗ JOYTECH J751 / SHIMANO TX500 8 speed
- ↗ ORIN J19SZR 507x19mm
- \*\*\* FREEDOM GANGSTER SPORT 24x1,95"
- ↗ EXTEND FP-650
- ↗ 1x8
- ↗ 12
- █ 12,5 kg

size  
code

UNI  
B20210



## SPECIFICATION

- ↗ DEMA Racer 24" Alloy 6061-T6 2018
- ↗ SR SUNTOUR XCT 24" 50mm
- ↗ SHIMANO TY300 7 speed
- ↗ SHIMANO TZ500
- ↗ SHIMANO REVO RS35 3x7 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND 152mm 42/34/24z
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO HG200 7 speed 12-28z
- ↗ KMC Z51 7 speed
- ↗ EXTEND Semiintegrated 28,6/44/30mm
- ↗ EXTEND Performance 60mm

- EXTEND Performance Riser 25,4x620mm
- SHIMANO 88A
- ↗ EXTEND Performance 27,2x350mm
- EXTEND HIGHWAY
- JOYTECH J751 / SHIMANO TY500 7 speed
- ↗ ORIN J19SZR 507x19mm
- ↗ FREEDOM GANGSTER SPORT 24x1,95"
- ↗ EXTEND FP-650
- ↗ 3x7
- ↗ 12
- 12,9 kg

size	UNI
code	B20211

# JUNIOR 24" PEGAS



## SPECIFICATION

- ▷ DEMA Pegas 24" Alloy
- ▷ DEMA Pegas 24" Hi-Ten
- ▷ SHIMANO TY300 7 speed
- ▷ SHIMANO TZ500
- ▷ SHIMANO REVO RS35 3x7 speed
- ▷ EXTEND V-BRAKE ALLOY
- ▷ EXTEND 152mm 42/34/24z
- ▷ EXTEND B902 BSA 68x122,5mm
- ▷ SHIMANO HG200 7 speed 12-28z
- ▷ KMC Z51 7 speed
- ▷ EXTEND Semiintegrated 28,6/44/30mm
- ▷ EXTEND Performance 60mm

- ▬ EXTEND Performance Riser 25,4x620mm
- ▬ SHIMANO 88A
- ▬ EXTEND Performance 27,2x350mm
- ▬ EXTEND HIGHWAY
- ▬ JOYTECH J751 / SHIMANO TY500 7 speed
- ▬ ORIN J19SZR 507x19mm
- ▬ FREEDOM GANGSTER SPORT 24x1,95"
- ▬ EXTEND FP-650
- ▬ 3x7
- ▬ 12
- ▬ 12,5 kg

size  
code

UNI  
B20212



## SPECIFICATION

- ▷ DEMA Pegas 24" Alloy
- ▷ DEMA Pegas 24" Hi-Ten
- ▷ SHIMANO TY300 7 speed
- ▷ SHIMANO TZ500
- ▷ SHIMANO REVO RS35 3x7 speed
- ▷ EXTEND V-BRAKE ALLOY
- ▷ EXTEND 152mm 42/34/24z
- ▷ EXTEND B902 BSA 68x122,5mm
- ▷ SHIMANO HG200 7 speed 12-28z
- ▷ KMC Z51 7 speed
- ▷ EXTEND Semiintegrated 28,6/44/30mm
- ▷ EXTEND Performance 60mm

- EXTEND Performance Riser 25,4x620mm
- SHIMANO 88A
- ▷ EXTEND Performance 27,2x350mm
- ▷ EXTEND HIGHWAY
- ▷ JOYTECH J751 / SHIMANO TY500 7 speed
- ▷ ORIN J19SZR 507x19mm
- ▷ FREEDOM GANGSTER SPORT 24x1,95"
- ▷ EXTEND FP-650
- ▷ 3x7
- ▷ 12
- 12,5 kg

size  
code

UNI  
B20213

**JUNIOR**  
**24**  
**ROCKIE SF**



## SPECIFICATION

- ↗ ROCKIE 24 Hi-Ten
- ↗ SR SUNTOUR XCT 24" 50mm
- ↘ SHIMANO TY300 7 speed
- ↙ SHIMANO TZ500
- ↔ SHIMANO REVO RS35 3x7 speed
- ▷ EXTEND V-BRAKE ALLOY
- ↶ EXTEND 152mm 42/34/24z
- ↖ EXTEND B902 BSA 68x122,5mm
- ◎ SHIMANO TZ500 7 speed
- ↙ KMC Z51 7 speed
- ↔ EXTEND XR-Z301

- EXTEND Performance Riser 25,4x620mm
- SHIMANO 88A
- ↖ EXTEND Performance ST-200, 25,4x350mm
- ↑ EXTEND HIGHWAY
- SF-A202F / SF-A201R
- △ ACE MT-46 507x18mm
- SY-B007 24x1,95"
- ↔ EXTEND FLAT PP
- ↙ 3x7
- 12
- 14,6 kg

size  
code

UNI  
B20214



## SPECIFICATION

- ↗ Iseo 24 Hi-Ten
- ↗ DEMA Iseo 24" Hi-Ten
- ↘ SHIMANO TZ500 6 speed
- ↙ SHIMANO TZ500
- ↔ SHIMANO REVO RS35 3x6 speed
- ↙ EXTEND V-BRAKE ALLOY
- ↔ EXTEND 152mm 42/34/24z
- ↖ EXTEND B902 BSA 68x122,5mm
- ↙ SHIMANO TZ500 6 speed
- ↙ KMC Z51 6 speed
- ↖ EXTEND XR-Z301
- ↖ EXTEND Performance steel 22,2mm

- EXTEND Performance Riser 25,4x580mm
- KRATON 90mm
- ↗ EXTEND Performance ST-200, 25.4x350mm
- EXTEND HIGHWAY
- SF-HB-03F / SF-HB03R
- ↙ ACE MT-46 507x18mm
- ↔ SY-B007 24x1,95"
- ↙ EXTEND FLAT PP
- ↙ 3x6
- ↙ 12
- ↙ 13,6 kg

size	UNI
code	B20215



## SPECIFICATION

- ↗ Iseo 24 Hi-Ten
- ↗ DEMA Iseo 24" Hi-Ten
- ↗ SHIMANO TZ500 6 speed
- ↗ SHIMANO TZ500
- ↗ SHIMANO REVO RS35 3x6 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND 152mm 42/34/24z
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO TZ500 6 speed
- ↗ KMC Z51 6 speed
- ↗ EXTEND XR-Z301
- ↗ EXTEND Performance steel 22,2mm

- EXTEND Performance Riser 25,4x580mm
- KRATON 90mm
- ↗ EXTEND Performance ST-200, 25.4x350mm
- ↗ EXTEND HIGHWAY
- ↗ SF-HB-03F / SF-HB03R
- ↗ ACE MT-46 507x18mm
- ↗ SY-B007 24x1,95"
- ↗ EXTEND FLAT PP
- ↗ 3x6
- ↗ 12
- ↗ 13,6 kg

size  
code

UNI  
B20216



## SPECIFICATION

- ↗ Iseo 24 Hi-Ten
- ↗ DEMA Iseo 24" Hi-Ten
- ↗ SHIMANO TZ500 6 speed
- ↗ SHIMANO TZ500
- ↗ SHIMANO REVO RS35 3x6 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND 152mm 42/34/24z
- ↗ EXTEND B902 BSA 68x122,5mm
- ↗ SHIMANO TZ500 6 speed
- ↗ KMC Z51 6 speed
- ↗ EXTEND XR-Z301
- ↗ EXTEND Performance steel 22,2mm

- EXTEND Performance Riser 25,4x580mm
- KRATON 90mm
- ↗ EXTEND Performance ST-200, 25.4x350mm
- EXTEND HIGHWAY
- SF-HB-03F / SF-HB03R
- ↗ ACE MT-46 507x18mm
- ↗ SY-B007 24x1,95"
- ↗ EXTEND FLAT PP
- ↗ 3x6
- ↗ 12
- ↗ 13,6 kg

size  
code

UNI  
B20217



## SPECIFICATION

- ↗ DEMA Racer 20" Alloy 6061-T6 2018
- ↗ SUNTOUR M3010-P 20", 50mm
- ↗ SHIMANO FT35
- ↗ SHIMANO SL-RS36 7Speed
- ↗ EXTEND V-Brake
- ↗ EXTEND Junior Black 32t, 127mm
- ↗ FSA BB-7420ST JIS, 118mm
- ↗ SHIMANO HG41-7 (11-28)
- ↗ KMC Z51
- ↗ FSA No. 10P Internal
- ↗ EXTEND Performance 60mm

- EXTEND Low Riser 560mm
- HERRMANS SHIMANO Junior Grips
- ↗ EXTEND Performance, 27.2x300mm
- SELLE ROYAL Spyder
- JOYTECH 751/362, 28H
- ↗ DEMA Strike 406C V-Brake, 28H
- MITAS Scylla 20x1.90 Classic
- FP-627
- ↗ 7
- ↗ 10
- 11,1 kg

size  
code

UNI  
B19160

JUNIOR  
RACER SL 20



## SPECIFICATION

- ↗ DEMA Racer 20" Alloy 6061-T6 2018
- ↗ DEMA Racer 20" Alloy
- ↗ SHIMANO FT35
- ↗ SHIMANO REVO RS35 1x7 speed
- ↗ EXTEND V-BRAKE ALLOY
- EXTEND SINGLE 127mm 32z
- EXTEND B902 BSA 68x124,5mm
- ↗ SHIMANO HG200 7 speed 12-28z
- ↗ KMC Z51 7 speed
- ↗ EXTEND XR-Z301
- EXTEND Performance steel 22,2mm

- EXTEND Performance Riser 25,4x560mm
- ↗ SHIMANO 88A
- EXTEND Performance ST-200, 25.4x250mm
- EXTEND CLIMBER
- ↗ JOYTECH J751 / SHIMANO TY500 7 speed
- ORIN J19SZR 406x19mm
- ↗ FREEDOM GANGSTER SPORT 20x1,95"
- ↗ EXTEND FP-650
- 1x7
- 11,1 kg

size  
code

UNI  
B20219



## SPECIFICATION

- ↗ DEMA Rockie Hi-Ten
- ↗ SR SUNTOUR M3010 20" SOFT SPRING
- ↗ SHIMANO TY21 6 speed
- ↗ SHIMANO REVO RS35 1x6 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND SINGLE 127mm 32z
- ↗ EXTEND B902 BSA 68x124,5mm
- ↗ SHIMANO TZ500 6 speed
- ↗ KMC Z51 6 speed
- ↗ CH-664
- ↗ EXTEND Performance steel 22,2mm
- ↗ EXTEND Performance Riser 25,4x560mm

- █ KRATON 122mm
- ↗ EXTEND Performance ST-200, 25,4x250mm
- ↗ EXTEND CLIMBER
- ↗ SF-HB-03F / SF-HB10R
- ↗ ACE-6N-C 406x20mm
- ↗ SY-B006 20x1,9"
- ↗ EXTEND FP-622
- ↗ 1x6
- ↗ 10
- █ 12,3 kg

size	UNI
code	B20220



## SPECIFICATION

- ▷ DEMA Rockie Hi-Ten
- ▷ SR SUNTOUR M3010 20" SOFT SPRING
- ▷ SHIMANO TY21 6 speed
- ▷ SHIMANO REVO RS35 1x6 speed
- ▷ EXTEND V-BRAKE ALLOY
- ▷ EXTEND SINGLE 127mm 32z
- ▷ EXTEND B902 BSA 68x124,5mm
- ▷ SHIMANO TZ500 6 speed
- ▷ KMC Z51 6 speed
- ▷ CH-664
- ▷ EXTEND Performance steel 22,2mm

- EXTEND Performance Riser 25,4x560mm
- KRATON 122mm
- ▷ EXTEND Performance ST-200, 25,4x250mm
- ▷ EXTEND CLIMBER
- ▷ SF-HB-03F / SF-HB10R
- ▷ ACE-6N-C 406x20mm
- ▷ SY-B006 20x1,9"
- ▷ EXTEND FP-622
- ▷ 1x6
- ▷ 10
- 12,3 kg

size	UNI
code	B20221

20 JUNIOR  
ROCKIE RF



## SPECIFICATION

- ↗ Rockie 20 Hi-Ten
- ↗ DEMA Rockie 20" Hi-Ten
- ↗ SHIMANO TY21 6 speed
- ↗ SHIMANO REVO RS35 1x6 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND SINGLE 127mm 32z
- ↗ EXTEND B902 BSA 68x124,5mm
- ↗ SHIMANO TZ500 6 speed
- ↗ KMC Z51 6 speed
- ↗ CH-664
- ↗ EXTEND Performance steel 22,2mm
- ↗ EXTEND Performance Riser 25,4x560mm

- KRATON 122mm
- ↗ EXTEND Performance ST-200, 25,4x250mm
- ↗ EXTEND CLIMBER
- ↗ SF-HB-03F / SF-HB10R
- ↗ ACE-6N-C 406x20mm
- ↗ SY-B006 20x1,9"
- ↗ EXTEND FP-622
- ↗ 1x6
- ↗ 10
- 10,9 kg

size  
code

UNI  
B20222



## SPECIFICATION

- ↗ Vega 6sp Hi-Ten
- ↗ DEMA Vega 20" Hi-Ten
- ↗ SHIMANO TY21 6 speed
- ↗ SHIMANO REVO RS35 1x6 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND SINGLE 127mm 32z
- ↗ EXTEND B902 BSA 68x124,5mm
- ↗ SHIMANO TZ500 6 speed
- ↗ KMC Z51 6 speed
- ↗ CH-664
- ↗ EXTEND Performance steel 22,2mm

- ↗ EXTEND Performance Riser 25,4x560mm
- ↗ KRATON 122mm
- ↗ EXTEND Performance ST-200, 25.4x250mm
- ↗ EXTEND CLIMBER
- ↗ SF-HB-03F / SF-HB10R
- ↗ ACE-6N-C 406x20mm
- ↗ SY-B031 20x1,75"
- ↗ EXTEND FP-622
- ↗ 1x6
- ↗ 10
- ↗ 11,4 kg

size	UNI
code	B20223

20 JUNIOR  
VEGA 6sp



## SPECIFICATION

- ↗ Vega 6sp Hi-Ten
- ↗ DEMA Vega 20" Hi-Ten
- ↗ SHIMANO TY21 6 speed
- ↗ SHIMANO REVO RS35 1x6 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND SINGLE 127mm 32z
- ↗ EXTEND B902 BSA 68x124,5mm
- ↗ SHIMANO TZ500 6 speed
- ↗ KMC Z51 6 speed
- ↗ CH-664
- ↗ EXTEND Performance steel 22,2mm
- ↗ EXTEND Performance Riser 25,4x560mm

- KRATON 122mm
- ↗ EXTEND Performance ST-200, 25,4x250mm
- ↗ EXTEND CLIMBER
- ↗ SF-HB-03F / SF-HB10R
- ↗ ACE-6N-C 406x20mm
- ↗ SY-B031 20x1,75"
- ↗ EXTEND FP-622
- ↗ 1x6
- ↗ 10
- 11,4 kg

size  
code

UNI  
B20224



## SPECIFICATION

- ↗ Aggy 6SP Hi-Ten
- ↗ DEMA Aggy 20" Hi-Ten
- ↗ SHIMANO TY21 6 speed
- ↗ SHIMANO REVO RS35 1x6 speed
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND SINGLE 127mm 32z
- ↗ EXTEND B902 BSA 68x124,5mm
- ↗ SHIMANO TZ500 6 speed
- ↗ KMC Z51 6 speed
- ↗ CH-664
- ↗ EXTEND Performance steel 22,2mm

- EXTEND Performance Riser 25,4x560mm
- KRATON 122mm
- ↗ EXTEND Performance ST-200, 25.4x250mm
- ↗ EXTEND CLIMBER
- ↗ SF-HB-03F / SF-HB10R
- ↗ ACE-6N-C 406x20mm
- ↗ SY-B031 20x1,75"
- ↗ EXTEND FP-622
- ↗ 1x6
- ↗ 10
- ↗ 11,7 kg

size	UNI
code	B20226



## SPECIFICATION

- ↗ Aggy Hi-Ten
- ↗ DEMA Aggy 20" Hi-Ten
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND SINGLE 127mm 32z
- ↗ EXTEND B902 BSA 68x124,5mm
- ↗ VELOSTEEL (18)
- ↗ KMC Z410
- ↗ CH-664
- ↗ EXTEND Performance steel 22,2mm
- ↗ EXTEND Performance Riser 25,4x520mm
- ↗ KRATON 122mm
- ↗ EXTEND Performance ST-200, 25,4x250mm

- ↗ EXTEND CLIMBER
- ↗ SF-HB-29F3 / VELOSTEEL Torpedo single speed
- ↗ ACE-6N-C 406x20mm
- ↗ SY-B006 20x1,9"
- ↗ EXTEND FP-622
- ↗ 1
- ↗ 10
- ↗ 11,1 kg

size  
code

UNI  
B20227



## SPECIFICATION

- ▷ Vega Hi-Ten
- ▷ DEMA Vega 20" Hi-Ten
- ▷ EXTEND V-BRAKE ALLOY
- ▷ EXTEND SINGLE 127mm 32z
- ▷ NEOC B-910 68x123mm
- ▷ VELOSTEEL (18)
- ▷ KMC Z410
- ▷ CH-664
- ▷ EXTEND Performance steel 22,2mm
- ▷ EXTEND Performance Riser 25,4x520mm
- ▷ KRATON 122mm
- ▷ EXTEND Performance ST-200, 25,4x250mm
- ▷ EXTEND CLIMBER
- ▷ SF-HB-29F3 / VELOSTEEL Torpedo single speed
- ▷ ACE-6N-C 406x20mm
- ▷ SY-B006 20x1,9"
- ▷ EXTEND FP-622
- ▷ 1
- ▷ 10
- ▷ 10,6 kg

size	UNI
code	B20228



## SPECIFICATION

- Vega Hi-Ten
- DEMA Vega 20" Hi-Ten
- EXTEND V-BRAKE ALLOY
- EXTEND SINGLE 127mm 32z
- NEOCO B-910 68x123mm
- VELOSTEEL (18)
- KMC Z410
- CH-664
- EXTEND Performance steel 22,2mm
- EXTEND Performance Riser 25,4x520mm
- KRATON 122mm

- EXTEND Performance ST-200, 25,4x250mm
- EXTEND CLIMBER
- SF-HB-29F3 / VELOSTEEL Torpedo single speed
- ACE-6N-C 406x20mm
- SY-B006 20x1,9"
- EXTEND FP-622
- 1
- 10
- 10,6 kg

size  
code

UNI  
B20229



## SPECIFICATION

- ↗ Rockie 16 Hi-Ten
- ↗ DEMA Rockie 16" Hi-Ten
- ▷ EXTEND V-BRAKE ALLOY
- ▷ EXTEND SINGLE 102mm 32z
- NEOC B-910 68x123mm
- ◎ freewheel single speed 18z
- KMC Z410
- CH-664
- EXTEND Performance 22,2 x 40mm
- EXTEND High Riser 500mm
- KRATON 115mm
- ↗ EXTEND Performance ST-200, 25.4x250mm
- EXTEND CLOVER
- SF-HB-29F / SF-HB03R
- ▷ ACE-6N-C 305x20mm
- \*\*\* SY-B029 16x1,75"
- ↗ EXTEND FP-622
- 1
- 8
- 9,8 kg

size	UNI
code	B20231

# 16 JUNIOR ROCKIE



## SPECIFICATION

- ↗ Rockie 16 Hi-Ten
- ↗ DEMA Rockie 16" Hi-Ten
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND SINGLE 102mm 32z
- ↗ NEO B-910 68x123mm
- ↗ VELOSTEEL (18)
- ↗ KMC Z410
- ↗ CH-664
- ↗ EXTEND Performance 22,2 x 40mm
- ↗ EXTEND High Riser 500mm
- ➡ KRATON 115mm
- ➡ EXTEND Performance ST-200, 25.4x250mm
- ➡ EXTEND CLOVER
- ➡ SF-HB-29F3 / VELOSTEEL Torpedo single speed
- ➡ ACE-6N-C 305x20mm
- ➡ SY-B029 16x1,75"
- ➡ EXTEND FP-622
- ➡ 1
- ➡ 8
- ➡ 10,0 kg

size  
code

UNI  
B20233

JUNIOR  
ROCKIE 16



## SPECIFICATION

- ↗ Rockie 16 Hi-Ten
- ↗ DEMA Rockie 16" Hi-Ten
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND SINGLE 102mm 32z
- ↗ NEOC B-910 68x123mm
- ↗ VELOSTEEL (18)
- ↗ KMC Z410
- ↗ CH-664
- ↗ EXTEND Performance 22,2 x 40mm
- ↗ EXTEND High Riser 500mm

- ↗ KRATON 115mm
- ↗ EXTEND Performance ST-200, 25.4x250mm
- ↗ EXTEND CLOVER
- ↗ SF-HB-29F3 / VELOSTEEL Torpedo single speed
- ↗ ACE-6N-C 305x20mm
- ↗ SY-B029 16x1,75"
- ↗ EXTEND FP-622
- ↗ 1
- ↗ 8
- ↗ 10,0 kg

size	UNI
code	B20234

# 16 JUNIOR ROCKIE



## SPECIFICATION

- ↗ Rockie 16 Hi-Ten
- ↗ DEMA Rockie 16" Hi-Ten
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND SINGLE 102mm 32z
- NEOC B-910 68x123mm
- VELOSTEEL (18)
- KMC Z410
- CH-664
- EXTEND Performance 22,2 x 40mm
- EXTEND High Riser 500mm

- KRATON 115mm
- ↗ EXTEND Performance ST-200, 25.4x250mm
- EXTEND CLOVER
- SF-HB-29F3/ VELOSTEEL Torpedo single speed
- ↗ ACE-6N-C 305x20mm
- SY-B029 16x1,75"
- EXTEND FP-622
- 1
- 8
- 10,0 kg

size  
code

UNI  
B20235



## SPECIFICATION

- ↗ ELLA 16 Hi-ten
- ↗ DEMA Ella 16" Hi-Ten
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND SINGLE 102mm 32z
- NECO B-910 68x123mm
- ↗ freewheel single speed 18z
- ↗ KMC Z410
- ↗ CH-664
- ↗ EXTEND Performance 22,2 x 40mm
- EXTEND High Riser 500mm

- █ KRATON 115mm
- ↗ EXTEND Performance ST-200, 25.4x250mm
- ↗ EXTEND CLOVER
- SF-HB-29F/ SF-HB03R
- ↗ ACE-6N-C 305x20mm
- SY-B029 16x1,75"
- ↗ EXTEND FP-622
- ↗ 1
- ↗ 8
- █ 9,9 kg

size	UNI
code	B20236

# JUNIOR 16" ELLA



## SPECIFICATION

- ↗ ELLA 16 Hi-ten
- ↗ DEMA Ella 16" Hi-Ten
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND SINGLE 102mm 31z
- ↗ NEOCO B-910 68x123mm
- ↗ VELOSTEEL (18)
- ↗ KMC Z410
- ↗ CH-664
- ↗ EXTEND Performance 22,2 x 40mm
- ↗ EXTEND High Riser 500mm

- █ KRATON 115mm
- ↗ EXTEND Performance ST-200, 25.4x250mm
- ↗ EXTEND CLOVER
- ↗ SF-HB-29F3 / VELOSTEEL Torpedo single speed
- ↗ ACE-6N-C 305x20mm
- \*\*\* SY-B029 16x1,75"
- ↗ EXTEND FP-622
- ↗ 1
- ↗ 8
- █ 10,1 kg

size  
code

8  
B20238



## SPECIFICATION

- ↗ ELLA 16 Hi-ten
- ↗ DEMA Ella 16" Hi-Ten
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND SINGLE 102mm 31z
- ↗ NEOC B-910 68x123mm
- ↗ VELOSTEEL (18)
- ↗ KMC Z410
- ↗ CH-664
- ↗ EXTEND Performance 22,2 x 40mm
- ↗ EXTEND High Riser 500mm

- ↗ KRATON 115mm
- ↗ EXTEND Performance ST-200, 25.4x250mm
- ↗ EXTEND CLOVER
- ↗ SF-HB-29F3 / VELOSTEEL Torpedo single speed
- ↗ ACE-6N-C 305x20mm
- ↗ SY-B029 16x1,75"
- ↗ EXTEND FP-622
- ↗ 1
- ↗ 8
- ↗ 10,1 kg

size	UNI
code	B20239



## SPECIFICATION

- ↗ ELLA 16 Hi-ten
- ↗ DEMA Ella 16" Hi-Ten
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND SINGLE 102mm 31z
- ↗ NEOC B-910 68x123mm
- ↗ VELOSTEEL (18)
- ↗ KMC Z410
- ↗ CH-664
- ↗ EXTEND Performance 22,2 x 40mm
- ↗ EXTEND High Riser 500mm

- ➡ KRATON 115mm
- ➡ EXTEND Performance ST-200, 25.4x250mm
- ➡ EXTEND CLOVER
- ➡ SF-HB-29F3 / VELOSTEEL Torpedo single speed
- ➡ ACE-6N-C 305x20mm
- ➡ SY-B029 16x1,75"
- ➡ EXTEND FP-622
- ➡ 1
- ➡ 8
- ➡ 10,1 kg

size  
code

8  
B20240



## SPECIFICATION

- ↗ Drobec 16 Hi-Ten
- ↗ DEMA Drobec 16" Hi-Ten
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND SINGLE 102mm 32z
- ↗ NEOCO B-910 68x123mm
- ↗ freewheel single speed 18z
- ↗ KMC Z410
- ↗ CH-664
- ↗ EXTEND Performance 22,2 x 40mm
- ↗ EXTEND High Riser 500mm

- ↗ KRATON 115mm
- ↗ EXTEND Performance ST-200, 25.4x250mm
- ↗ EXTEND CLOVER
- ↗ SF-HB-29F / SF-HB03R
- ↗ ACE-6N-C 305x20mm
- ↗ SY-B029 16x1,75"
- ↗ EXTEND FP-622
- ↗ 1
- ↗ 8
- ↗ 10,1 kg

size  
code

8  
B20241

# 16 JUNIOR DROBEC



## SPECIFICATION

- ↗ Drobec 16 Hi-Ten
- ↗ DEMA Drobec 16" Hi-Ten
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND SINGLE 102mm 32z
- ↗ NEOC B-910 68x123mm
- ↗ VELOSTEEL (18)
- ↗ KMC Z410
- ↗ CH-664
- ↗ EXTEND Performance 22,2 x 40mm
- ↗ EXTEND High Riser 500mm

- ↗ KRATON 115mm
- ↗ EXTEND Performance ST-200, 25.4x250mm
- ↗ EXTEND CLOVER
- ↗ SF-HB-29F3 / VELOSTEEL Torpedo single speed
- ↗ ACE-6N-C 305x20mm
- ↗ SY-B029 16x1,75"
- ↗ EXTEND FP-622
- ↗ 1
- ↗ 8
- ↗ 10,0 kg

size  
code

8  
B20243

JUNIOR  
16

# DROBEC



## SPECIFICATION

- ↗ Drobec 16 Hi-Ten
- ↗ DEMA Drobec 16" Hi-Ten
- ▷ EXTEND V-BRAKE ALLOY
- ▷ EXTEND SINGLE 102mm 32z
- ➡ NEOC B-910 68x123mm
- ➡ VELOSTEEL (18)
- ➡ KMC Z410
- ➡ CH-664
- ➡ EXTEND Performance 22,2 x 40mm
- ➡ EXTEND High Riser 500mm
- ➡ KRATON 115mm
- ↗ EXTEND Performance ST-200, 25.4x250mm
- ➡ EXTEND CLOVER
- ➡ SF-HB-29F3 / VELOSTEEL Torpedo single speed
- ➡ ACE-6N-C 305x20mm
- \*\*\* SY-B029 16x1,75"
- ➡ EXTEND FP-622
- ➡ 1
- ➡ 8
- ➡ 10,0 kg

size  
code

8  
B20244

# 16" JUNIOR DROBEC



## SPECIFICATION

- ↗ Drobec 16 Hi-Ten
- ↗ DEMA Drobec 16" Hi-Ten
- ↗ EXTEND V-BRAKE ALLOY
- ↗ EXTEND SINGLE 102mm 32z
- ↗ NEOC B-910 68x123mm
- ↗ VELOSTEEL (18)
- ↗ KMC Z410
- ↗ CH-664
- ↗ EXTEND Performance 22,2 x 40mm
- ↗ EXTEND High Riser 500mm

- ➡ KRATON 115mm
- ➡ EXTEND Performance ST-200, 25.4x250mm
- ➡ EXTEND CLOVER
- ➡ SF-HB-29F3 / VELOSTEEL Torpedo single speed
- ➡ ACE-6N-C 305x20mm
- ➡ SY-B029 16x1,75"
- ➡ EXTEND FP-622
- ➡ 1
- ➡ 8
- ➡ 10,0 kg

size  
code

UNI  
B20245

JUNIOR  
12  
FUNNY



## SPECIFICATION

- ↗ DEMA Hi-ten
- ↗ DEMA Funny 12"
- ↙ EXTEND V-Brake
- ↘ EXTEND Junior Black 24t, 89mm
- ➡ 5pcs Axle 3S
- ◎ STEEL (18)
- ↗ KMC Z410
- ➡ XR-Z301
- ➡ EXTEND Performance 60mm
- ➡ EXTEND High Riser 480mm

- ➡ DEMA Junior Grips
- ↗ EXTEND Performance, 25.4x150mm
- ↙ EXTEND Junior
- ➡ CP STEEL, 16H
- ↘ ALLOY 12", 20H
- ➡ WANDA 12x2.1"
- ➡ DEMA Funny
- ➡ 1
- ➡ 7
- ➡ 8,1 kg

size	UNI
code	B19180

# 12 JUNIOR FUNNY



## SPECIFICATION

- ↗ DEMA Hi-ten
- ↗ DEMA Funny 12"
- ↗ EXTEND V-Brake
- ↗ EXTEND Junior Black 24t, 89mm
- 5pcs Axle 3S
- ↗ STEEL (18)
- ↗ KMC Z410
- ↗ XR-Z301
- ↗ EXTEND Performance 60mm
- EXTEND High Riser 480mm

- DEMA Junior Grips
- ↗ EXTEND Performance, 25.4x150mm
- ↗ EXTEND Junior
- CP STEEL, 16H
- ↗ ALLOY 12", 20H
- ↗ WANDA 12x2.1"
- ↗ DEMA Funny
- 1
- ↗ 7
- 8,1 kg

size  
code

UNI  
B19181

JUNIOR  
12  
**FUNNY**



## SPECIFICATION

- ↗ DEMA Hi-ten
- ↗ DEMA Funny 12"
- ↗ EXTEND V-Brake
- ↗ EXTEND Junior Black 24t, 89mm
- ➡ 5pcs Axle 3S
- ➡ STEEL (18)
- ➡ KMC Z410
- ➡ XR-Z301
- ➡ EXTEND Performance 60mm
- ➡ EXTEND High Riser 480mm

- ➡ DEMA Junior Grips
- ➡ EXTEND Performance, 25.4x150mm
- ➡ EXTEND Junior
- ➡ CP STEEL, 16H
- ➡ ALLOY 12", 20H
- ➡ WANDA 12x2.1"
- ➡ DEMA Funny
- ➡ 1
- ➡ 7
- ➡ 8,1 kg

size	UNI
code	B19182

# 12 JUNIOR BEEP AIR LT




## SPECIFICATION

- ↗ DEMA Balance Hi-Ten
- ↗ DEMA Balance Hi-Ten
- ↗ Steel clamp
- ↗ DEMA Flat 370mm
- ↗ DEMA Balance
- ↗ Steel 22x160mm
- ↗ DEMA Kid
- ↗ Plastic rim 12"
- ↗ XJ 12x1.25
- ↗ UNI
- ↗ 3,7 kg



color code	PINK B20257	GREEN B20258	BLUE B20259	ORANGE B20260
------------	-------------	--------------	-------------	---------------






## SPECIFICATION

- ↗ DEMA Balance Hi-Ten
- ↗ DEMA Balance Hi-Ten
- ↗ Steel clamp
- ↗ DEMA Flat 370mm
- ↗ DEMA Balance
- ↗ Steel 22x160mm
- ↗ DEMA Kid
- ↗ Alu rim 12"
- ↗ XJ 12x1.25
- ↗ UNI
- ↗ 3,9 kg



color	GREEN	BLUE	RED	WHITE
code	B20249	B20250	B20251	B20252



# 12 JUNIOR BEEP PVA



## SPECIFICATION

- ↗ DEMA Balance Hi-Ten
- ↗ DEMA Balance Hi-Ten
- ↗ Steel clamp
- ↗ DEMA Flat 370mm
- ↗ DEMA Balance
- ↗ Steel 22x160mm
- ↗ DEMA Kid
- ↗ Plastic 12"
- ↗ PVA 12x1.25
- ↗ UNI
- ↗ 3,2 kg



color code	GREEN B20253	BLUE B20254	RED B20255	WHITE B20256
------------	--------------	-------------	------------	--------------

